

www.Radioworld.ca

Friendly & Qualified Staff + Experienced Advice + Competitive Pricing = Customer Satisfaction

ICOM

HF +	
IC-706MKII/G Mobile	\$1130*
*Free RMK-706	
IC-718 Compact HF	\$750
IC-746Pro HF + 6m + 2m	\$1800*
*Free PS125	
IC-7000 Compact HF	\$1475*
*Free RMK-7000	
IC-7200 New Compt HF	\$1250
IC-7600 New Deluxe HF	\$4350
IC-7700 Deluxe HF	\$6800
IC-7800Deluxe HF, scope	\$12000
IC-910 VHF/UHF Sat	\$1750
IC-PW1	\$5100
VHF/UHF Mobiles	
IC-208H Comp Dual	\$400
IC-2200H 2 meter, 65w	\$220
IC-2820H Deluxe Dual	\$640
IC-ID1 1.2GHz D-Star	\$900
IC-ID880 D-Star Radio	\$600
IC-V8000 2 meter, 75w	\$260
VHF/UHF Handhelds	
IC-80AD Digital Dual	\$570
IC-91A Digital Tri Band	\$390
IC-92AD New Digital	\$600
IC-P7 Compact,	\$200
IC-V82 5w, 100 mem, 2m	\$180
IC-V85 New 2m	\$240

Repeaters

IC-RP2000V VHF Voice	\$1500
IC-RP4000V UHF Voice	\$1500
IC-RP2C Controller	\$1500
IC-RP2D1.2GHz Data	\$1270
IC-RP2V1.2GHz Voice	\$1790

KENWOOD

HF +	
TS-480HX 200w, HF	\$1450
TS-480SAT 100w, Tuner	\$1340
TS-2000S HF+6m+2m+70cm	\$2000
TS-2000X TS-2000+1.2 GHz	\$2800
TSB-2000 TS-2000 body	\$2000

VHF/UHF Mobiles

TM-271A Back-lit mic, 2m	\$220
TM-D710A Dual w/ TNC	\$615
TM-V71 New Dual Tx, Rx	\$430

VHF/UHF Handhelds

TH-F6A Tri-band, Dual rx	\$380
TH-K2 2 meter, 5 watts	\$150

YAESU

HF +	
FT-450 Compact HF+	\$780*
FT-450AT FT450 + Tuner	\$880*
FT-817ND QRP HF+	\$690
FT-857DHF+ 6m+2m+70cm	\$840*
FT-897DHF+ 6m+2m+70cm	\$940*
FT-950 HF+ 6m	\$1450*
FT-2000 Base HF	\$2600*
FT-2000D 200w Base	\$3350*

VHF/UHF Mobiles

FT-1900M New 2m	\$180
FT-2800M 2m + 65W	\$180*
FT-2900M New 2m+ 70W	\$190
FT-7900R New2m/70cm	\$300
FT-8800R 2m/70cm	\$420*
FT-8900R10/6/2m/70cm	\$470*
FT-10M 2m/70cm w/Rx	\$350*

VHF/UHF Handhelds

FT-250R New 2m + 5W	\$150
FT-270R New 2m + 5W	\$165
FT-60R New Dual compact	\$215
VX-3R New Tiny Dual Band	\$180*
VX-6R/S Tiny Tri Band	\$270
VX-7R/B Tri Band, Dual Rx	\$360*
VX-8R/B DualBand	\$440

ALINCO

HF +	
DX-70TH HF+6m,100w	\$1000
VHF/UHF Mobiles	
DR-135TPG with TNC	\$340
DR-235T 220 MHz	\$310
DR-435T 440 MHz	\$330
DR-635 Delux Dual Rx	\$430

VHF/UHF Handhelds

DJ-596T Econo Dual	\$280
DJ-C7T Compact Dual	\$200
DJ-G7T New Tribandl	\$410
DJ-V17 2 meter	\$180
DJ-V27 220 MHz	\$200

DM-330MV32 Amp supply \$195

Ranger

RCI-2950DX 10/11m All	\$460
RCI-2970DX 10/11m All	\$630

YAESU		*Fall Coupon Event!	
Handhelds	Mobiles	HF Stations	
VX-7R \$30us	FT-8900R \$20+Free YSK8900	FT-2000/D*... \$80us	
VX-6R \$10us	FT-8800R \$20+Free YSK8900	FT-857D*... \$20 + YSK857	
VX-3 \$15us	FT-7900 Free YSK7800	FT-897D* \$50us	
FT-270 \$10us	FT-2900 \$10us	FT-817* \$20us	
Above prices shown are reduced by coupon value. Instant rebates on selected Yaesu Transceivers. Coupon value is deducted off price of radio at time of sale. Offer valid until Dec 31st, 2009			

All Prices listed are Cash, Cheque or Debit Card discounted. Prices may change without notice. Please call for shipping & insurance rates.

Visit our web page for more specials. Toll Free # 1-866-666-8600

E-Mail: sales@radioworld.ca

Store Hours :

Mon - Tues - Wed - Friday : 10am - 5pm
 Thursday : 10am - 7pm
 Saturday : 10am - 3pm Sunday: Closed

Phone Number:

FAX : (416) 667-9995

416-667-1000

Store Address:

4335 Steeles Ave. W.,
 Toronto, On, Canada M3N 1V7

Nov 2009verA



HF TRANSCEIVERS

Cash/CQ Discounted

IC-706MKIIG	Compact mobile tx, HF-6M-2M + 70cm, 100 watts 160-6M, 50w on 2m, 20w on 70cm, Rx .1-200 MHz	SEE FRONT
IC-718	Compact mobile HF Transceiver, General Coverage receiver, 100 Watts	SEE FRONT
IC-746Pro	HF + 6m + 2m transceiver, 100w, Auto tuner, DSP filtering, Twin Pass Band Tuning, Band scope	SEE FRONT
IC-756ProIII	New Base HF transceiver with 6 meters, 100 watts, auto tuner, large LCD display, full DSP filtering	SEE FRONT
IC-7000	Compact mobile tx, HF-6M-2M + 70cm, 100 watts 160-6M, 50w on 2m, 20w on 70cm, Rx .1-200 MHz	SEE FRONT
IC-7200	Compact mobile tx, HF-6M, 100 watts 160-6M, Digital IF filtering, 40 watts on AM	SEE FRONT
IC-7800	Deluxe HF Trancesiver, 100 watts 160-10 meters, auto tuner, specrum display, power supply, DSP ++++	SEE FRONT
IC-910H	2m & 70cm base/mobile ALL Mode transceiver	SEE FRONT
IC-PW1	1000 watt HF + 6 meter Solid State Linear with power supply and automatic antenna tuner	SEE FRONT

VHF & UHF MOBILE RADIOS

IC-208H	Dual band mobile, 50 & 35 watts, Single band receive, Detachable front face, low price	SEE FRONT
IC-2200H	2m FM mobile, 65 watts, CTCSS encode & decode, Superior RX IMD	SEE FRONT
IC-2820H	Dual Band mobile, 50 & 35 watts, Detachable front face, CTCSS, remote operation	SEE FRONT
IC-V8000	2m FM mobile, 75 watts, CTCSS decode, back-lit keypad	SEE FRONT

VHF & UHF HANDHELD RADIOS

IC-P7	Compact Dual band handheld, 2m and 70cm, 1.0 watts, CTCSS decode	SEE FRONT
IC-V82	Deluxe 2 meter handheld, 5.0 watts, 136-174 Mhz rx, , CTCSS decode, 100 memories, ni-cad pack	SEE FRONT

ICOM ACCESSORIES

AD-51	Battery sleeve adapter for BC-79 for BP-172, 173 batteries.....	20	CS-2100	Windows Software for IC-2100, requires OPC-478	40
AD-81	Battery sleeve adapter for BC-79 for T-2A	15	CS-2200	Windows Software for IC-22200, requires OPC-478	90
AD-87	Charging adapter sleeve for T8A and BC-119	10	CS-2720	Windows Software for IC-2720H, requires OPC-478	65
AD-88	PCB board for BC-119 charger	35	CS-2820	Windows Software for IC-2820, requires OPC-478	65
AD-92SMA	SMA to BNC female adapter	25	CS-T90A	Windows Software for T-90A, software only	65
AG-25	Mast mount preamp for IC-271H/A	360	CS-V82	Windows Software for IC-V82, comes with cable	65
AG-35	Mast mount preamp for IC-471H	370	CS-V8000	Windows Software for IC-V8000, requires OPC-478	65
AH-2B	Antenna whip and base for AH-2 or AH-3	550	CT-17	Computer Interface unit (ci-v) level converter	195
AH-4	Automatic antenna tuner for HF mobile, IC-746	390	FA-1443B	Dual band rubber ducky antenna	40
AH-7000	Wide band receive antenna, TX 50-144-440 MHZ	300	FA-215BA	220 MHz rubber ducky antenna	45
AT-180	Automatic antenna tuner for IC-706, 80-6 meters, 100watts ..	580	FA-3	Flexible Antenna	45
BC-105A	Wall charger for 2GXAT.....	Clearout 10	FL-52A	500 Hz CW filter 455 kHz IF for IC-737, IC-736 or IC-738	340
BC-110A	Wall charger for T90	30	FL-53A	250 Hz CW filter 455 kHz IF for IC-737, IC-736 or IC-738	340
BC-119N	Quick desk charger BC-79, AD sleeves are separate	95	FL-100	500 Hz CW filter for IC-728, 737, 736, 738 or IC-725	130
BC-127A	Q7A R2A Wall Charger	30	FL-101	250 Hz CW filter for IC-728, 737, 736 or IC-738	160
BC-135	Desktop charger for R-3	145	FL-103	2.8 KHz CW filter for IC-706 or IC-R75	115
BC-139	Desktop charger for T-90A, BP-217	110	FL-132	CW folter for 910	200
BC-144	Desktop charger for V-8 or F11	60	FL-133	CW folter for 910	200
BP-90	Battery case for 6 'AA' for IC-2SAT, W2A or R-1	55	FL-222	1.9 KHz SSB filter in 455 KHz IF for IC-775DSP	400
BP-99	Battery case for V-68.....	Clearout 30	FL-223	1.9 KHz SSB filter in 9 MHz IF for IC-775DSP, 706	130
BP-130A	Battery case for 6 AA for IC-V21AT, X21AT & 2GXAT	55	FL-232	350 Hz CW-RTTY filter for IC-706, 775, or 756	130
BP-170	Battery case for Z1A-T22A or W31A, 4 "AA" batteries	40	FL-257	3.3 kHz SSB filter for IC-756 & IC-746	340
BP-171	4.8 V, 700 mAh ni-cad battery for Z1A-T22A or W31A	75	HM-36	Up/down hand mic for Icom HF radios	100
BP-172	4.8 V, 950 mAh ni-cad battery for Z1A-T22A or W31A	90	HM-46	Compact speaker mic for IC-2AT, 02AT, 2GAT,2SAT,W21AT	70
BP-194	Battery case holder for T-2A	30	HM-46L	Same as above except right angle	70
BP-196	9.6 volt, 1050 mAh ni-cad battery for T-2A	70	HM-54	Larger speaker mic for same hand-held as HM-46	125
BP-197	Battery case for T8A, holds 3 AA cells	35	HM-75A	Remote speaker mic for T-90	90
BP-198	4.8v, 700mah nicad for T8A	90	HM-95	***Discontinued***	
BP-199	6.0v, 700mah nicad for T8A	100	HM-103	Standard UP/Down mic for IC-706, with RJ-45	90
BP-200L	9.6v, 680mah nicad for T8A	150	HM-128L	Earphone microphone for IC-V8	40
BP-208	Battery case holder for IC-V8 and F11	30	HM-131	Speaker mic for V8, 91AD, V82	50
BP-209	7.2v, 1100 mAh nicad battery for V8 and F11	60	HM-131L	***Discontinued*** use HM-158L	
BP-210	7.2v, 1650 mAh battery for V8A	90	HM-133V	DTMF microphone for IC-2100, V8000, 207	110
BP-216	Alkaline "AA" battery case holder for T90	30	HM-151	Replacement mic for IC-7000	115
BP-217	7.2v, 1200 mAh battery for T-90A	130	HM-153	Earphone mic for IC-91	160
CP-1	Cigarette lighter cord for IC-02AT or IC-2GAT	Clearout 20	HM-154T	DTMF UP/Down mic for IC-706, with RJ-45	110
CP-12L	Cigarette lighter cord with noise filter for IC-T2H, T81, T7H	35	HM-158L	Speaker mic for V8, V82	60
CP-13	Cigarette lighter cord for W2A	60	HM-174	Waterproof speaker mic for IC-92AD	190
CP-19RL	Cigarette lighter cord with noise filter for IC-T90	60	HM-175GPS	GPS mic for Icom radios	275
CR-282	High stability crystal oscillator for IC-746	210			
CR-293	High stability crystal oscillator for IC-970	230			
CR-338	High stability crystal oscillator for IC-718	125			
CS-208	Windows Software for IC-208H, requires OPC-478	65			



HP-4	Headphones for handheld radios, IC-R10	35	UT-106	DSP plug in unit for IC-706MKII	170
HS-60	Headset for IC-W2A or IC-2SRA	Clearout 100	UT-108	DTMF decoder unit for IC-V8	40
HS-85	Headset with PTT or VOX for T90, T81, T7 or W32A	170	UT-118	Digital board for IC-V82	310
HS-94	Headset with for T90	35	UT-121	Digital board for IC-91A	270
LC-136	Soft case for T7A with small battery, BP-170,BP-171	50	UT-122	Digital board for IC-R2500, PCR2500	360
LC-145	Softcase for T-2A	50	UT-123	Digital board for IC-2820	360
LC-146	Softcase for Q-7 and R-2	50	UX-910	1.2 GHz module for IC-910H	Special order 650
LC-147	Softcase for IC-T8A	40	VS-1	PTT/VOX unit for T90	60
LC-148	Softcase for IC-T81A	40			
LC-152A	Softcase for T-90A	30			
LC-156	Softcase for IC-703	115			
LC-161	Softcase for P-7	30			
LC-163	Softcase for IC-91A	40			
LC-167	Softcase for IC-V85	60			
MB-5	Mobile brackets for IC-820, IC-735 or IC-728	65			
MB-12	Mobile bracket for R-7000. or R-71A	70			
MB-17A	Mobile bracket with quick release and lock for IC-2710H	70			
MB-22	Alligator clip for hand-helds	25			
MB-23	Carrying handle for IC-725, IC-728, IC-820, IC-275	25			
MB-27	Mobile bracket for IC-229, 2410 or 3230	65			
MB-31	Mobile wall bracket	35			
MB-49	Mobile mounting bracket for IC-737, IC-736 or IC-738	90			
MB-58	Mobile mounting bracket for IC-2710 face plate	60			
MB-62	Mobile mounting bracket for IC-706	25			
MB-63	Mounting bracket for front face for IC-706	15			
MB-65	Bracket for remote control unit on IC-2710H	60			
MB-72	Carrying handle for IC-706MKIIG	25			
MB-83	Swivel belt clip for T90	15			
MB-85	Mounting bracket for IC-2720	30			
MB-96N	Leather belt hanger for V82	50			
MB-103	Belt clip for V8	20			
MB-105	Mounting bracket for face of IC-7000	15			
MB-106	Carrying handle for IC-70000	20			
OPC-025A	DC power cable for 6 pin, HF radios	30			
OPC-254L	DC cable with fuses and angled plug for Z1A-T22A or W31A	20			
OPC-288L	DC cable for W2A & W21AT hand-held with fuse	30			
OPC-347	DC power cable for mobiles, 7 m long heavy gauge	70			
OPC-440	Microphone extension kit for IC-2710 & IC-281H	120			
OPC-474	Radio to Radio programming cable for R-10	30			
OPC-478	RS232 Cloning cable for ICOM radio to Computer	60			
OPC-478U	USB Cloning cable for ICOM radio to Computer	65			
OPC-581	Separation cable for IC-706 body to face, 3.5m	70			
OPC-587	Separation cable for IC-706 body to face, 7m	120			
OPC-589	Microphone adapter cable for 8 pin to DB9	55			
OPC-598	Accessory plug for IC-706	100			
OPC-599	13 pin accessory cable to 8 & 7 pin din plug	85			
OPC-600	Separation cable for IC-2710H, 3.5 meters	80			
OPC-601	Separation cable for IC-2710H, 7 Meters	90			
OPC-646	Cloning cable for IC-2710	150			
OPC-647	Mic extension cable for IC-2710	80			
OPC-718	Cable for PW-1 amplifier	35			
OPC-730	Remote cable for head of PW-1 amplifier	45			
OPC-782	Adapter cable for Q-7 to standard 2 pin mic plugs	30			
OPC-1384	Data cable for ID-800H	55			
OPC-1443	Separation cable for IC-7000 head to body, 3.5m	90			
OPC-1444	Separation cable for IC-7000 head to body, 7.0m	120			
OPC-1457	DC power cable for IC-7000	60			
OPC-1529R	Replacement RS232 cable for IC-91	40			
PS-125	Power supply for Icom, 20 amps 13.8vDC	400			
RMK-706	Separation kit for IC-706, includes OPC581, MB62, MB63	100			
RMK-7000	Separation kit for IC-7000, includes OPC1443, MB62, MB105	110			
RS-91	Computer control software with cable for IC-91	100			
RS-92	Computer control software with cable for IC-92	100			
RS-R8500	Computer controlled software for R-8500	100			
SM-6	***Discontinued***				
SM-20	New desk microphone for base radio's	220			
SP-10	Mobile speaker, 8 ohms	90			
SP-13	Earphone plug for Icom handhelds	10			
SP-20	Matching external speaker with audio filters, 970, 765	380			
SP-21	Matching speaker for IC-737, IC-738 or IC-736	170			
SP-23	Matching external speaker for 756	280			
UT-102	Voice board for IC-706, 756 or 821	70			

All items listed as clearout are limited to stock in hand.
Once sold out, item will be discontinued.

SERV MAN Service manual for hand-held & mobiles 70
SERVICE Service manual-larger mobiles-base-specify radio HF radio's. 120

Cab-HF 6 pin DC cable for most HF radio's, non-Icom 40
Cab-VHF 2 pin DC cable for most VHF and UHF radio's, non-Icom 30

O&EM

KENWOOD

HF TRANSCEIVER

TS-2000 HF+6+2m+70cm, all mode DSP filtering, tuner, 100w on HF + 6m

RC-2000 Mobile control face unit for TS-2000 with cables 499
L-701 1.2 GHz module for TS-2000S, installed by Kenwood Cnd .. 1499
TS-B2000 Same as TS-2000 but computer controlled only
TS-2000X Same as TS-2000 but includes 1.2 GHz module

ACRP-2000 Remote control software for the TS-2000 120
DRU-3A Digital recording unit for TS-570 or TS-2000 280
LF-30A Low-pass filter, cut off frequency 34 MHz 100
KPS-15K 23 amp continuous, 25 amp power supply 199
MC-57DM DTMF back lit mic for 8 pin mic plug Kenwood radios 140
MC-60A Deluxe desk microphone with built-in preamp, directional 250
MC-90 Deluxe desk microphone for New DSP transceivers 350
PG-2Y DC cable TS-50, TS-570, TS-2000, TS-870, 4 meters... **Sale** 50
PG-2Z DC power cable for TS-870, TS-570, TS-2000 **Sale** 60
RC-2000 Mobile remote for TS-2000 with face and cables 499
VS-3 Voice synthesizer for TS-2000 or 570D 90

TS-480HX 200w compact mobile HF with 6 meters, DSP filters, keyer
TS-480SAT 100w compact mobile HF w/ auto tuner, DSP filtering, keyer

DRU-3A Digital recording unit for TS-570 or TS-2000 280
KPS-15K 23 amp continuous, 25 amp power supply 199
LF-30A Low-pass filter, cut off frequency 34 MHz 100
MC-58DM DTMF back lit mic for RJ45 pin mic plug Kenwood radios 140
PG-20 DC power cable for TS-480 80
PG-2Y DC cable TS-50, TS-570, TS-2000, TS-870, 4 meters... **Sale** 50
PG-2Z DC power cable for TS-870, TS-570, TS-2000 **Sale** 60
VGS-1 Voice Guide unit and storage unit for TS-480 110
YF-107C 500 Hz CW filter for TS-480 200
YF-107CN 250 Hz CW filter for TS-480 200
YF-107SN 1.8 KHz CW filter for TS-480 200

TS-570SG HF with 6 meters, auto-tuner, DSP filters, keyer, general coverage, 100 watts

TS-570DG HF with auto tuner, DSP filtering, keyer, general coverage, 100 .. watts with new features

DRU-3A Digital recording unit for TS-570 or TS-2000 280
KPS-15K 23 amp continuous, 25 amp power supply 199
LF-30A Low-pass filter, cut off frequency 34 MHz 100
MC-57DM DTMF back lit mic for 8 pin mic plug Kenwood radios 140
MC-60A Deluxe desk microphone with built-in preamp, directional 250
MC-90 Deluxe desk microphone for New DSP transceivers 350
PG-2Y DC cable TS-50, TS-570, TS-2000, TS-870, 4 meters... **Sale** 50
PG-2Z DC power cable for TS-870, TS-570, TS-2000 **Sale** 60
SP-23 External speaker for TS-450SAT 160
SP-50B Flat compact mobile speaker, 8 ohms 70
VS-3 Voice synthesizer for TS-570D 90
YK-88C-1 500 Hz CW filter for TS-570, TS-450, TS-850, TS-950SDX ... 240
YK-88CN-1 270Hz CW filter for TS-570, TS-450, TS-850 240
YK-88S-1 2.4kHz SSB filter for TS-570s, TS-450S or TS-850S 240
YK-88SN-1 1.8kHz SSB filter for TS-570, TS-450, TS-850, TS-950SDX .. 240

VHF & UHF MOBILE RADIOS

TM-271A 2 meter FM Mobile, 50 watts, Rx 136-174 MHz, 60 memories, alphanumeric, with Back-lit mic
KPG-46A 9 pin DB connector for PC interface 110
KPS-15K 23 amp continuous, 25 amp power supply 199
MC-58DM DTMF back lit mic for RJ45 pin mic plug Kenwood radios 140
SP-50B Flat compact mobile speaker, 8 ohms 70
VGS-1 Voice Guide unit and storage unit for TM-271 110

TM-D700A 2 meter & 70 cm, FM mobile with TNC built-in, detachable front face, 50-35 watts, 144 & 440 MHz
KPG-46A 9 pin DB connector for PC interface 110
KPS-15K 23 amp continuous, 25 amp power supply 199
MC-58DM DTMF back lit mic for RJ45 pin mic plug Kenwood radios 140
PG-4X Separation cable for TM-D700A 160
SP-50B Flat compact mobile speaker, 8 ohms 70
VS-3 Voice synthesizer for TS-570D 90

VHF & UHF HANDHELD RADIOS

TH-F6A Tri band, 144 + 220 + 440 MHz Handheld with Dual receive, wide band receive, 435 memories **SEE FRONT**
BT-13 Battery case for TH-F6A, 4 "AA" batteries 45
PB-42LI Lithium Ion battery for TH-F6A, 7.4V, 1500 mAh 110
SC-51 Soft case for TH-F6, black 30

TH-D7AG Dual band VHF & UHF Handheld with TNC built-in, 200 alphanumeric memories **SEE FRONT**
BC-19 Rapid charger for TH-D7 and G71 120
BT-11 Battery case for TH-G71A & TH-D7A, 4 "AA" batteries 40
PB-39 Ni-cad battery for TH-D7, G71, 9.6V, 600 mAh 80
SC-47B Soft case for TH-D7, black 45

VHF HANDHELD RADIO

TH-K2AT 144 MHz Handheld, 5 watts **SEE FRONT**
BT-14 Battery case for TH-K2AT, 4 "AA" batteries 40
KPG-46A 9 pin DB connector for PC interface 110
KSC-24K Rapid desk charger for TH-K2AT 80
PB-43N Nickel-MH battery for TH-K2AT 110
SC-54 Soft case for TH-K2, black 45

Kenwood Handheld Accessories matches TH-D7, F6 & K2AT

EMC-3 Ear mic for hand-held 50
HMC-3 Headset with vox & PTT for TH-22, 28A, 78A & TH-79 80
KPG-46A 9 pin DB connector for PC interface 110
PG-2W DC power cable for TH-G71, D7A, TH-F6, TH-22A 40
PG-3J Filtered cigarette lighter cord TH-G71, TH-D7A, TH-22, TH-F6 70
SMC-34 Remote mic with volume control for TH-G71, F6, D7 70

KENWOOD

Kenwood Accessories

ACRP-2000	Remote control software for the TS-2000	120
BC-9	Wall charger for PB-6,7	9
BC-19	Rapid charger for TH-D7AG & TH-G71A	120
BH-6	Belt hook for TH-22, 28, 77, 78 & 79	45
BT-11	Battery case for TH-G71A & TH-D7A, 4 "AA" batteries	40
BT-13	Battery case for TH-F6A, 4 "AA" batteries	45
BT-14	Battery case for TH-K2AT, 4 "AA" batteries	40
DFK-4C	Detachable front face kit for TM-V7A, 4 meters	130
DFK-7	Detachable front panel kit for TM-742, 7 meters	190
DFK-7B	Detachable front panel kit for TM-733A, 7 meters	190
DFK-7C	Detachable front face kit for TM-V7A	190
DRU-3A	Digital recording unit for TS-570S or FT-570D	280
DTU-2	DTMF decoder for TM-241A, 741A or 941	Clearout 5
EMC-3	Ear mic for hand-held	50
HMC-3	Headset with vox & PTT for TH-D7, G71, F6 & K22	80
HS-5	Deluxe communications headset	160
HS-6	Small-sized headphones	Sale 79
IF-232C	***Discontinued*** See MFJ-5383K	
KAT-1	External auto tuner for 8ft whip	999
LF-30A	Low-pass filter, cut off frequency 34 MHz	100
MC-45DM	DTMF mic. with up & down for TM-733, TM-742, TM-251	100
MC-52DM	***Discontinued*** See MC-57DM	
MC-53DM	***Discontinued*** See MC-58DM	
MC-57DM	DTMF back lit microphone for 8 pin mic plug	140
MC-58DM	DTMF back lit mic for Kenwood RJ-45 plug	140
MC-60A	Deluxe desk microphone with built-in preamp, directional	250
MC-90	Deluxe desk microphone for New DSP transceivers	350
PB-33	6.0V, 1200 mAh Ni-Cad for TH-22AT or TH-79A	Clearout 80
PB-34	9.6V, 600 mAh Ni-Cad for TH-22AT or TH-79A	Clearout 70
PB-39	Ni-cad battery for TH-D7, G71, 9.6V, 600 mAh	80
PB-42LI	Lithium Ion battery for TH-F6A, 7.4V, 1500 mAh	110
PG-2N	DC power cable for TM-261A, TM-V7A or TM-D700	45
PG-2U	DC power cable with 4 pin plug	Clearout 5
PG-2V	DC power cable for TH-215A or TH-415A	Clearout 15
PG-2W	DC power cable for TH-G71, D7A, TH-F6, TH-22A	40
PG-2Y	DC cable TS-50, TS-570, TS-2000, TS-870, 4 meters	Sale 50
PG-2Z	DC power cable for TS-870, TS-570, TS-2000	Sale 60
PG-3B	DC noise line filtered cable for Kenwood mobile	40
PG-3J	Filtered cigarette lighter cord TH-G71, TH-D7A, TH-22, TH-F6 ..	70
PG-4F	MC-85 8 pin add on cable	Clearout 10
PG-4H	Interface connecting cable	Clearout 10
PG-4J	8 pin mic extension kit, with power cable	Clearout 19
PG-4R	Sky-commad kit	200
PG-4S	Programming cable for TM-V7A	90
PG-4W	Programming cable with software for TM-D7A	110
PG-4X	Seperation cable for TM-D700A	160
PG-5A	***Discontinued*** see YA-CT39	
RC-2000	Mobile remote for TS-2000 with face and cables	499
SC-47B	Softcase for TH-D7A with large battery, black case	45
SC-51	Softcase for TH-F6A with regular battery, black case	30
SMC-34	Remote mic with volume control for TH-G71, F6, D7	60
S0-2	Hi-stability Tx-xtal osc for TS-950 or TS-870SAT	325
SP-23	External speaker for TS-450SAT	160
SP-31	External speaker with audio filters for TS-850 & TS-790	Sale 180
SP-50B	Flat compact mobile speaker, 8 ohms	70
TSU-8	CTCSS board for TH-22AT, TM-261A or TM-733A	Sale 70
VP-1	Bumper mount for MA-5 antenna	Clearout 79
VS-3	Voice synthesizer for TS-570D	90
YF-107C	500 Hz CW filter for TS-480	200
YF-107SN	1.8 KHz CW filter for TS-480	200
YK-88C-1	500 Hz CW filter for TS-570, TS-450, TS-850, TS-950SDX ..	240
YK-88CN-1	270Hz CW filter for TS-570, TS-450, TS-850	240
YK-88S-1	2.4kHz SSB filter for TS-570s, TS-450S or TS-850S	240
YK-88SN-1	1.8kHz SSB filter for TS-570, TS-450, TS-850, TS-950SDX ..	240

O&EM

**Radioworld is Canada's largest
Kenwood Amateur radio dealer!**

**Radioworld is an authorized service centre for
all Kenwood Amateur radio products.**

When you purchase your Kenwood products from Radioworld, you are served by knowledgeable sales staff, all licensed amateur radio operators, a friendly atmosphere and Canada's largest showroom with amateur radio products.

Cab-HF	6 pin DC cable for most HF radio's, non-kenwood brand	50
Cab-VHF	2 pin DC cable for most VHF and UHF radio's, non-kenwood ..	30

YAESU

HF TRANSCEIVERS

FT-817ND	Compact QRP mobile HF with 160-10 + 6 + 2 meters & 70cm, All mode, 5 watts, battery operated	
FT-857D	Compact HF with 6m + 2m & 70 cm, 100 watts on 160-6m, 50 watts on 2m, 20watts on 70cm, + more	
FT-897D	HF+ 6m + 2m & 70 cm, 100w on 160-6m, 50w on 2m & 70cm with 12vDC, All Mode + more	
FT-2000	Deluxe HF transceiver with 100 watts output, power supply	
DMU-2000	Data management unit for FT-2000	1049

Quarda-System Linear 1000 watts output for 1.8-54 Mhz, includes power supply and automatic antenna tuner

ADMS-4AU	Windows programming software FT-817, with cable	55
ADMS-4BU	Windows programming software FT-857 & FT-897, w/cable	55
ATAS-25	Antenna for FT-817, 40m to 440cm, 7' long, down to 2'	300
ATAS-120	Active-Tuning mobile antenna for FT-857, FT897, FT-100	395
ATBK-100	Antenna base unit for ATAS120	120
ATU-450	Internal Antenna tuner for FT-450	150
CD-24	Charger for FNB-78	180
CSC-83	Soft vinyl case for FT-817	40
CT-62	CAT computer interface cable	50
DMU-2000	Data management unit for FT-2000	995
DMU-9000	Data management unit for FT-9000	1300
DVS-2	Digital voice storage unit for HF radio's	300
FBA-28	Batter case holder for FT-817	35
FC-30	Automatic antenna tuner for FT-897	220
FC-40	Random wire antenna tuner for FT857, 897	340
FC-800	External automatic antenna tuner for long wire or 9' whip	550
FBA-28	Battery case for FT-817	25
FNB-72	See FNB-85	
FNB-78	Internal NiHM battery for FT-897	170
FNB-85	9.6V, 1400mAh ni-cad battery for FT-817	100
FP-1023	DC power supply 23 amps, 19 amps cont., and controls	210
FP-1030A	DC power supply 30 amps, 24 amps cont., with meters	310
FP-30	Internal power supply for FT-897	280
LL-7	Phone patch unit for SP-8 speaker and MD-1000MP	195
MD-100A8X	Desk top microphone, for FT-920, FT-1000MP, FT-847	170
MD-200A8X	DSP Desk top microphone, new for FT-1000MP Mark "V"	440
MH-31B8	Hand microphone for 8 pin mic radios	60
MH-36E8J	DTMF microphone for FT-817, FT857, 897	90
MH-59A8J	Remote control DTMF microphone for FT-857, 897	90
MMB-80	Mobile mounting bracket for FT-897	60
PA-26B	Charger for CD-24	110
SP-8	External speaker matching FT-1000MP with filters	220
SP-2000	External matching speaker for FT-2000	220
SP-9000	External matching speaker for FT-9000	440
TCXO-9	High stability crystal for FT-817, FT-857, FT-897	125
uTUNEKIT-A	MTU-160, 160 meter unit for FTDX9000	550
uTUNEKIT-B	MTU-80/40, 80/40 meter unit for FTDX9000	580
uTUNEKIT-C	MTU-30/20 30/20 meter unit for FTDX9000	580
YH-77STA	Stereo headphones for FT-1000	70
YF-122C	500 Hz CW filter for FT-817, FT-857, FT-897	210
YF-122CN	300 Hz CW filter for FT-857, FT897	210
YF-122S	SSB filter for FT-817, FT857, FT897	210
YSK-857	Separation kit for FT-857	85

VHF & UHF HANDHELD RADIOS

VX-8R	6m, 2m & 70cm, Tri band, 1.5w on 220MHz, Optional Bluetooth, Optional GPS Antenna, CTCSS & DCS decode, 5w, Lithium Ion bat, plus	
VX-7R	6m, 2m & 70cm, Tri band, Dual Rx, CTCSS & DCS decode, 5w, Wide Receive , Lithium Ion bat, plus	
VX-6R	2m & 70cm - 5w, 220 MHz - 1.5w, Tri band with CTCSS & DCS decode, Lithium Ion battery	
VX-2R	Super compact Dual-band 144-440MHz with receive 76-999 Mhz (no cell), FM, WFM, AM, 290 mem	
FT-270	2 meter hand held, 5 watts, larger display, 1000 alpha-numeric memories, 1400 mAh battery	
FT-250	2 meter hand held, very durable, 5 watts, 200+ alpha-numeric memories	
FT-60R	Dual-band with CTCSS & DCS decode, 5w, Super wide Receive , no cell	

ADMS-1F	Windows programming software for VX-150	55
ADMS-1G	Windows programming software for VX-7R	55
ADMS-1H	Windows programming software for VX-2R	55
ADMS-1J	Windows programming software for FT-60R	55
ADMS-250	Windows programming software FT-250	55
ADMS-270	Windows programming software FT-270	55
ADMS-VX3R	Windows programming software VX3R	55
ADMS-VX6R	Windows programming software VX-6R	55
ADMS-VX8R	Windows programming software VX8R	85
CD-15A	Charging stand for VX-5R, 6R & 7R, requires NC-72B	45
CD-26	Charging stand for VX-170, requires NC-72B	40
CMP-460A	***see MH-73A4B***	
CN-3	SMA to BNC female adapter, FT-50 to regular mount	15
CSC-88	Soft case for VX-7R	30
CSC-91	Soft case for VX-6R	30
CT-44	Mic cable adapter for 2 pin plug to FT60, VX5R, VX150	20
CT-91	Mic adapter cable for 2 pin plug to VX-6R & 7R, VX170	20
EDC-5B	DC car adapter for VX-5R-6R-7R, FT-50-60, VX-150	35
EDC-6	DC cable for VX-5R-6R-7R, FT-50-60, VX-150	15
EDC-21	DC cigarette lighter adapter for VX-2R	45
FBA-23	Battery sleeve for 2 "AA" batteries for VX-5R, VX6, VX7	35
FBA-25A	Battery case 6 "AA" bat for VX-150, FT60, FT250, FT270	30
FBA-39	Battery case for VX-8R	35
FGPS2	GPS unit for VX-8R	110
FNB-80LI	7.4V, 1400 mAh Lithium-ion battery pack, VX-5R, 6R or 7R	95
FNB-82LI	3.7V, 1000 mAh Lithium-ion battery pack for VX-2R	50
FNB-83	7.2V, 1400 mAh Ni-MH battery for FT-60R, VX-150, FT250	40
FNB-101LI	1100mAh Li-Ion for VX-8R	85
FNB-102LI	1800mAh Li-Ion for VX-8R	95
LCC-150STT	Leather case with swivel mount for VX-150	60
MH-34B4B	Speaker microphone for VX-5R, FT-60, VX-150	45
MH-37A4B	Ear piece microphone for FT-60, VX-150	45
MH-57A4B	Speaker microphone for VX-6R, VX-7R, VX170	50
MH-73A4B	Waterproof speaker mic VX-6R, VX-7R, VX170	60
MH-74A7A	Speaker mic for VX8R, GPS unti connectable	60
NC-72B	Battery charger for FNB-58LI and FNB-80LI, VX5-6-7 series	30
NC-88B	Wall charger for VX-150, FT-60 batteries	30
SU-1	Barometric pressure option for VX5R, VX-7, VX-6	50
VAC-370B	Radip desk charger for FNB-64, VX170, VX150, FT60	85
VC-24	Headset with built-in VOX for VX-6R, VX-7R, VX170	80
VC-25	Headset with built-in VOX for FT-60, VX150, VX5R	80
VC-27	Earpiece headset for VX-6R, VX-7R, VX-170	40

VHF & UHF MOBILE TRANSCEIVERS

FT-1900M	2 meter mobile, very durable, 55 watts, Compact, alphanumeric disp, 200 memories	
FT-2900M	2 meter mobile, very durable, 75 watts, Rigid die-cast chassis, WIRES-II internet linking system	
FT-7900	2 meter & 70 cm, FM mobile, 50 & 45 watts, with wide band rx, detachable face, back-lit mic	
FT-8800	2 meter & 70 cm, FM mobile, 50 & 35 watts, dual rx with wide band rx, detachable face, back-lit mic	
FT-8900R	Quad band mobile, 28+50+144+440 MHz, Dual receive, CTCSS, DCS, Cross-band repeat function	

ADMS-1900	Windows programming software FT-1900M	55
ADMS-2900	Windows programming software FT-2900M	55
ADMS-2H	Windows programming software FT-8900M	55
ADMS-2I	Windows programming software FT-8800M	55
ADMS-2K	Windows programming software FT-7800M & 7900M	55
CT-39	Packet cable for Yeasu VHF/UHF mobiles	15
DC-Cable	Dc cable for Yeasu VHF/UHF mobiles	25
MEK-2	Mic adapter from modular plug to 8pin Yeasu	75
MH-48A6J	DTMF microphone for FT-2800, FT1802, 7800, 8800, 8900	90
MMB-60	Mobile bracket for FT-7800, FT-8800, FT-8900 quick release	55
MMB-62	Front face mobile mounting bracket for FT-8900	70
YSK-7800	Separation cable kit for FT-7800 or FT7900	85
YSK-8900	Separation cable for FT-8800, 8900, 19', front face to back	85

YAESU

ADMS-2E	Windows programming software FT-90R, FT-2600	60
ADMS-2F	Windows programming software FT-1500M	60
CA-14	Charging sleeve for FNB-40 & FNB-41 with NC-50,	50
CLIP-10	Belt clip for FT-50 heavy duty spring	10
CSC-68	Softcase for FT-50RH or FT-10RH with FNB-41 or FBA-15	30
CSC-73	Softcase for VX-5R	30
CSC-90	Soft case for VX-2R	30
CSC-V10	Cloth softcasew/ metal clip for FT-50RDH / FNB-41/ FBA-15 ..	45
CT-27A	Cloning cable for newer handhelds	20
CT-58	Band data cable for FT-100 or FT-857	40
DC-FT100	Power cable for FT-100	65
DSP-2	DSP filtering unit for FT-857	85
DVS-3	Digital voice storage unit for FT-2299, FT-5200	Clearout 49
DVS-4	Digital voice storage unit for FT-3000	70
EDC-15	DC cigarette lighter adapter for VX-1R	55
FBA-15	Battery case holder for FT-50, holds 4 "AA" batteries	25
FBA-17	Batt. case holder for FT-411 & FT-470, holds 6 "AA" batteries .	30
FBA-20	Battery sleeve for 1 "AA" battery for VX-1R	25
FBA-21	Battery sleeve for 6 "AA" battery for FT-50	50
FEP-10	Ear-Piece microphone	15
FH-2	Remote control keypad for FT-2000 / 950	120
FM-100	FM unit for FRG-100	70
FM-747	FM unit for FT-840	80
FNB-31	4.6V, 600 mAh ni-cad bat. for FT-11R, 1.5W	55
FNB-33	4.8V, 1200 mAh ni-cad battery for FT-11R, 1.5 W	90
FNB-40	6.0V, 650 mAh ni-cad bat for FT-50, 2.5 watts, slim type	85
FRC-4	Pager unit for FT-5200/6200/8500.	Clearout 29
HRI-100	"WIRES" interface unit with cables	250
LCC-11S	Leather case with swivel mount for FT-50 & FNB-40 batt	55
MH-14A8	DTMF Microphone for 8 pin	Clearout 50
MH-30C2B	Hand microphone for FT-900	75
MH-31A8J	Hand microphone for FT-900	65
MH-34C2B	Speaker microphone for 2 pin radios	60
MH-36A6J	DTMF microphone for	90
MH-36B6J	DTMF microphone for FT-8100	90
MH-36B6JS	DTMF microphone for FT-100	90
MH-37B2B	Earbud with lapel mic for 2 pin handheld	60
MH-39	DTMF microphone for FT-8500, new microphone	Clearout 69
MLS-100	Commercial grade external speaker	80
MMB-20	Mobile bracket for FT-757 or FT-890 or FT-900	60
MMB-54	Hanging mobile bracket for Yaesu Hand-held	15
MMB-66	Mobile mounting bracket for FT-847	70
MMB-67	Mobile mounting bracket for FT-100	50
MW-2	Wireless remote control mic for FT-2200	Clearout 20
NC-55B	Wall charger for FNB-31 battery	20
NC-60B	Wall charger for FT-50 or FT-10	25
NC-65B	Wall charger for FNB-12 FNB-27	25
NC-66B	Wall charger for VX-1R	30
RH-1	Rubber grip wrap for FT-50 or FT-10, orange or black	15
SP-8	External speaker matching FT-1000MP with filters	250
SP-2000	External matching speaker for FT-2000	250
SP-9000	External matching speaker for FT-9000	470
TCXO-9	High stability crystal for FT-817	120
XF-117C	500 Hz CW filter for FT-100	Clearout 99
XF-117CN	300 Hz CW filter for FT-100	Clearout 99
XF-455MC	CW crystal filter 455kHz 600Hz for FT-1000	Clearout 99
YF-110CN	250 Hz CW filter for FT-1000 or FRG-100	240
YF-112C	500 Hz CW filter for FT-840	140
YF-116A	AM 6 Khz filter for FT-920	Clearout 100
YF-116C	500 Hz CW filter for 455 Khz IF	Clearout 100
YF-122C	500 Hz CW filter for 455 Khz IF for FT-857 & 897 & 817	240
YF-122CN	300 Hz CW filter for 455 Khz IF for FT-857 & 897 & 817	240
YF-122S	2.3 KHz SSB filter for 455 Khz IF for FT-857 & 897 & 817	240
YH-77STA	Open air type stereo headphone for FT-900/1000	80

ROTATORS

G-450A	Light duty rotator, 10 sq ft, for VHF or UHF antennas	300
G-800SA	Medium/heavy duty rotator 20 sq.ft.	395
G-800DXA	Same as above with presets	495
G-1000DXA	Heavy duty 23 sq.ft deluxe rotator	600
G-2800DXA	New heavy duty 32 sq.ft deluxe rotator.....	1300
G-5500B	AZ/EL rotator 11 sq.ft. with separation kit	740
G-550	Elevation rotator 12 sq.ft. with separation kit	360
GA-3000	Shock absorber for G-1000 & G-2700 rotors	160
GC-038	Mast clamp for G-400/800/1000/5400/5600	45
GC-048	Mast clamp for G-2000	70
GS-050	Thrust bearing 50 MM	45
GS-065	Thrust bearing 65 MM	65

O&EM

ALINCO

HF Transceivers

DX-70TH	Mobile HF with 6 meters, 100 watts and all modes on all bands, detachable front face
DX-77T	HF Base station, 100 watts, all modes, General coverage Rx, CW filter built-in

Mobile Transceivers

DR-620T	Dual band mobile, 2m & 70cm, 50 & 35 watts output, Dual receive, cross band repeat, CTCSS decode
DR-605TQ	Low cost dual band mobile with CTCSS
DR-135TPG	2 meter mobile with TNC unit built-in, CTCSS included
DR-235TG	220 Mhz mobile transceiver with 25 watts, CTCSS
DR-435TG	440 Mhz mobile transceiver with 25 watts, CTCSS
DR-M06TH	6 meter mobile transceiver, FM only with 25 watts

Hand Helds

DJ-V5TH	Compact Dual Band portable, wide band receive, 200 memories, 5 watts and CTCSS built-in
DJ-596T	Dual Band portable, 100 memories, 5 watts and CTCSS
DJ-196T	2 meter portable, 100 memories, 5 watts and CTCSS
DJ-296	220 MHz portable, 200 memories, 5 watts and CTCSS

DM-330MVT	32 amp, 5-15 volt variable, switching power supply	195
------------------	--	------------

EBC-6	Mobile barcket for X10, X2000	25
EBP-33N	4.8 volt 650 mAH ni-cad for DJ-G5, 191, X10, X2000	50
EBP-36N	9.6 volt 650 mAH ni-cad for DJ-G5, 191, X10, X2000	100
EBP-37N	4.8 volt 700 mAH ni-cad for DJ-G5, 191, X10, X2000	50
EBP-46N	9.6 volt, 700 mAh ni-cad for DJ-V5	95
EBP-48N	9.6 volt, 700 mAh ni-cad for DJ-196	95
EBP-50N	9.6 volt, 700 mAh Ni-MH for DJ-596T and DJ-196T	50
EBP-51N	9.6 volt, 1500 mAh Ni-MH for DJ-596T	90
EBP-52S	3.6 volt, 500 mAH Ni-MH for DJ-X3	80
EBP-56N	7.4V, 1000 mAH Ni-MH battery for DJ-196/596	90
EDC-36	Filtered cigarette lighter plug for X10, X2000, DJV5, DJ196	35
EDC-37	DC Cable for X10, X2000, DJG5	15
EDC-43	Cigarette lighter plug for X10, X2000, DJV5, DJ196	25
EDC-60	Quick charger for G-5T & X10	120
EDC-63	Wall charger for DJ-X2000	45
EDC-88	Quick charger for EBP-48N	95
EDC-91	Desk charger for DJ-V5T	95
EDC-105	Drop in charger for DJ-X3	45
EDC-111	Quick charger for EBP-65N	90
EDH-16	Dry cell pack for X10, X2000, DJG5	25
EDH-29	Dry cell pack for DJ-V5	25
EDH-30	Dry cell pack, 6 "AA" batteries for DJ-196 & DJ-596	30
EDH-31S	Battery case for DJ-X3	30
EDS-4	5 foot remote cable for DX-70TH	60
EDS-5	5 foot microphone extension cable for DX-70TH	50
EDS-6	15 foot remote mount cable for DX-70TH	95
EDS-9	Separation cable kit for DR-620T	60
EJ-40U	Digital board for the DR-135 series	219
EJ-41U	9600 buad modem for the DR-235TG	199
EJ-43U	Digital board for the DJ-596	219
EJ-47U	Digital board for the DR-620T	260
EJ-50U	TNC unit for the DR-620T	199
EME-6	Earphone for all Alinco hand helds	20
EMS-8	Remote control speaker mic for ALinco hand helds	75
EME-12	Headset with VOX for the DR-196 & 596	110
EMS-47	Speaker microphone for Alinco hand helds with volume	35
EMS-54	DTMF microphone for DR-605	90
EMS-56	DTMF microphone for DR-605	90
ERW-4C	PC connection cable for DJ-X10	65
ESC-29	Soft case for EBP-37N battery with X10, X2000, DJG5	25
ESC-30	Soft case for EBP-34N or 35N battery with X10, X2000, DJG5	25
ESC-35	Soft case for DJ-V5	25
ESC-36	Soft case for DJ-596	25
PC-15B	DC power cable for Alinco mobile radios	20

TS062813	Icom/Alinco Modular RJ45 Cable for Talksafe 1.5M	20
TS062815	Yaesu/Kenwood Modular RJ45 Cable for Talksafe 1.5M	20
TS062816	Motorola Modular RJ45 Cable for Talksafe 1.5M	20
TS062818	8 Pin Round Cable for Kenwood/Alinco for Talksafe 1.5M	20
TS062819	8 Pin Round Cable for Icom/Yaesu for Talksafe 1.5M	20
TS062835	Mic Cable for Yaesu FT817 TalksafeHT	20
TS062836	Mic Cable for Yaesu VX7R for TalksafeHT	20
TS062837	Mic Cable for Kenwood Handhelds for TalksafeHT	20
TS062838	Mic Cable for Yaesu Handhelds for TalksafeHT	20

ALPHA DELTA

Lightning Protection

ATT3G50	Transi-Trap Lightning arrester, 200 watts with N Conn	70
ATT3G50B	Transi-Trap Lightning arrester, 200 watts, bulk head type	70
ATT3G50U	Transi-Trap Lightning arrester, 200 watts with SO-239	65
ATT3G50UHP	Lightning arrester, 2000 watts with SO-239	65
ATT3G50HP	Lightning arrester, 2000 watts with N Conn	75
TT3G	Replacement arc plugs for ATT3G switches	15

Coax Switches

DELTA-2	2 position coax switch with lightning arrester "UHF" connector	80
DELTA-2N	2 position coax switch with lightning arrester "N" connectors	90
DELTA-4	4 position coax switch with lightning arrester "UHF" con	110
DELTA-4N	4 position coax switch with lightning arrester "N" connectors	115
PathMinder	6 position digitally controlled coax switch	195
D4	Arc plug for Delta switches	15

HF Antennas

DX-A	Twin sloper antenna 160-80 & 40 meters	115
DX-B	Sloper 160-80-40 & 30 meters, 60 ft	120
DX-CC	Dipole 3KW, 10-80 meters, 82 ft long	175
DX-DD	Dipole 3KW, 40-80 meters, 82 ft long	160
DX-EE	Dipole 10-15-20-40 meters	175
DX-LB	Dipole for 40-80 & 160 meters, 100 feet long with traps	180
DX-LBPlus	Dipole for 10-15-20-40-80 & 160 meters, 100 feet long	210
DX-SWL	Shortwave receive antenna only	155
DX-Ultra	Deluxe dipole antenna	175

Delta-C	High quality hardware for antenna kit	45
CIN	Centre insulator	2

Tuner and Filtered Speaker

PathFinder	Automatic antenna tuner for HF Transceivers	Clearout 450
-------------------	---	---------------------

AMERITRON

Amplifiers

AL-1200X	HF Amplifier 10-160M HF with 3C1200A tube	3500
AL-1500X	1.5 kwatt HF Amplifier 10-160M HF with 8877 tube	3500
AL-572X	New 1300 watts HF amplifier with 4- 572B Tubes	1800
AL-800HX	1500 watts+ output, HF Amplifier with 2- 3CX800A7 Tubes	3300
AL-800X	1250 watts output, HF Amplifier with 3CX800A7 Tube	2200
AL-80BX	HF Amplifier 10-160 meters with 3-500Z	1550
AL-811HX	HF Amplifier 10-160 meters, with 4 811 tubes	995
AL-811X	600 watt HF Amplifier 10-160 with 3 811 tubes	830
AL-82X	1.5 kwatt HF Amplifier 10-160 meters, 1.5Kw, pair 3-500Z	2800

ALS-500MX	500 watts Solid State mobile HF Amplifier, operates 12 Vdc ..	900
ALS-600X	600 watts Solid State HF Amplifier with power supply	1650

Tuners

ATR-20	Antenna tuner 600W 10/160M	520
ATR-30	Antenna tuner 1500W 10/160M	660

Remote Antenna Switch

RCS-4	Remote RF coax switch 4 position	185
RCS-8V	Remote coax switch 5 position	195
RCS-10	Remote RF coax switch 8 position, 0-100 MHz	200
RCS-10L	Remote RF coax switch 8 pstn, 0-100 MHz w/ lightning prote	250

← Arrow Antenna →

146-3	3 Element portable hand held antenna	60
146-4	4 Element portable hand held antenna	100
146/43710	Satellite Antenna. 3 el. on 146 MHz cross 7 el. on 437 Mhz	75
146/43710BP	Satellite Ant. 3 el./146 MHz cross 7 el/437 Mhz, backback	80
146/43710W	Same as above with built in duplexer	150
146/43710WBP	Same as 146/437-10W split boom, back pack version	160
146-4S	4 Element permanent mount yagi	60
440-3	3 Element, 440 MHz permanent mount yagi	30
440-5S	5 Element permanent mount yagi	50
524T	4 element, 6 meter yagi	160
FHL	Foxhunt loop antenna	70
FHL-UHF	Foxhunt loop antenna	70
MB	Mounting bracket for beams	15
J220	Solid Aluminum end fed J-Pole for 220 Mhz	45
J146/440	Solid Aluminum dual band end fed J-Pole (SO239)	40
Foxhunt	Attenuator 75 dB in 5 dB steps. (BNC Connectors)	70
Foxhuntkit	Same as above in kit form	45
RoollUp	Rollup bag for 146/437-10 antennas	55

ASTRON CORPORATION

Transformer Power Supplies

RS-20A	20 Amps, 14 continuous power supply, 13.8 Vdc	165
RS-35A	35 Amps, 24 continuous, 13.8 Vdc, no meters	250
RS-20M	20 Amps, 14 continuous, 13.8 Vdc with meters	190
RS-35M	35 Amps, 24 continuous, 13.8 Vdc with meters	290
RS-50M	50 Amps, 35 continuous, 13.8 Vdc with meters	400
RS-70M	70 Amps, 49 continuous, 13.8 Vdc with meters	480

Variable Voltage Power Supplies

VS-35M	35 Amps, 24 continuous, 13.8 Vdc with meters	310
VS-50M	50 Amps, 35 continuous, 13.8 Vdc with meters	425
VS-70M	70 Amps, 49 continuous, 13.8 Vdc w/ meters, variable	500

Rack Mount Voltage Power Supplies

RM-35M	35 Amps, 24 continuous, 13.8 Vdc with meters	400
RM-50M	50 Amps, 35 continuous, 13.8 Vdc with meters	460

Switching Power Supplies

SS-18	Compact switching power supply, 18 amps, 14 cont 6 lb	150
SS-25	25 Amps, 20 continuous, 13.8 Vdc switching power supply ..	190
SS-25M	Same as SS-25 with meters	225
SS-30	Compact switching power supply, 30 amps, 24 cont 6 lb	195
SS-30M	Switching power supply, w/meters 30 amps, 24 cont	245

BENCHER, INC

CW Paddles and Keys

BY-1	Iambic paddle, black base	135
BY-2	Iambic paddle, chrome base	165
BY-3	Iambic CW paddle, gold plated base	370
BY-4	Iambic CW paddle, gold components with black base	260
RJ-1	Straight Key with black base	130
RJ-2	Straight Key with Chrome base	165
ST-1	Single lever CW paddle, heavy black base	145
ST-2	Single lever CW paddle with heavy chrome base	165

Accessories

YA-1	Low pass filter, 1500 watts	100
-------------	-----------------------------------	------------

Antenna

SKYHAWK	3 element, 10-15-20 meter beam, 24' boom, 8.5 sq ft	1350
----------------	---	-------------

butternut

HF Base Antennas

HF-2V	40 & 80 meter vertical base antenna	340
HF-5B	Five band, 10-12-15-17-20 Butterfly Beam Antenna	520
HF-6V	Six band, HF base vertical antenna	450
HF-9V	Nine band, 10-12-15-17-20-30-40-80 Base HF vertical ant	520
Skyhawk	***See Bencher***	

Accessories

30MRK	30 meter resonator kit	150
A-17-12	17/12 meter kit	85
A-6	6 meter kit	25
CPK	Counterpoise kit	200
GRK	Ground Radial kit	115
MPS	Mounting post sleeve	20
RMK-II	Roof mounting kit	230
STR-II	Stub tuned radial kit	185
T-2	2 foot tripod tower	70
TBR-160-S	Top band resonator 160 meter kit	210
TLK	Top loading coil	70
BUTTER-IT'S-NOT	Anti-seize, Anti-oxide paste	7



Base Antennas

CA-52HB4	6 meter, 4 element beam, 10'6" boom	170
CHA-250	80 to 6 meter base antenna, no radials	499
GP-9	Dual Band Base antenna, 8.5-11.9 db, 18'	260
GP-6	Dual Band Base antenna, 6.5-9.0 db, 10'	200
GP-3	Dual band base antenna, 4.5-7.2 db, 6'	130
CX-333	Tri-band 144-220-440 MHz, 6.5-7.8-9.0 db, 10'	235
GP-15	52-146-440 Base antenna, 3.0-6.2-8.6 db, 8'	200

Mobile Antennas

B-10	144-446 MHz, compact Cellular Like, 12", PO mount	50
B-10NMO	144-446 MHz, compact Cellular Like, 12", NMO mount	50
C-757	144-440 MHz, 2.15-5.5 dbi, 38" long, PO mount	80
CA-2X4SR	144-440 MHz, 3.8-6.2 dbi, 40" long, PO mount	85
CT-5M	Adjustable Trunk Mt. 17" RG58, PL259	60
SB-123	1.2 GHz mobile antenna, 24" long	70
SB-14	50-144-440 MHz, 0-3.5-6.0, 43" mobile	80
SB-15	50-144-440 MHz, 2.15-4.5-7.2, 5' long	100
SBB-1	Compact rubber duckie mobile antenna on PO mount	50
SBB-1NMO	Same as SBB-1 except with NMO mount	50
SBB-2	19" Dual band antenna with PO mount, 2.15 & 3.5 db	50
SBB-2NMO	Same as SBB-2 except with NMO mount	50
SBB-5	36" Dual band antenna with PO mount, 3 & 5.5 db	70
SBB-5NMO	Same as SBB-5 except with NMO mount	70
SBB-7	55" Dual band antenna with PO mount, 4.5 & 7.2 db	95
SBB-7NMO	Same as SBB-7 except with NMO mount	95
SBB-25	VHF mobile antenna in black	60
SBB-224	146-220-440 MHz, same as above with PO in black	95
SBB-224NMO	146-220-440 MHz, same as above with NMO in black	95
UHV-4	10-6-2m and 70cm band antenna for FT-8900R	140
UHV-6	40/15/10/6/2M/70CM Band Ant for FT-857	200

Triplexers and Mounts

CF-360A	Duplexer 1.3-30 split 50-470 Mhz with leads, for IC-706	85
CF-416A	Duplexer 1.3-170 to 350-450 split all SO239 leads	60
CF-530	Duplexer 1.3-56 split 75-470 Mhz with leads, for IC-706	90
CF-4160J	Duplexer 144 and 440 split with all SO239 ends, no leads	65
CF-706A	Duplexer 1.3-90/75-470 Mhz with leads, for IC	90
CFX-324A	Triplexer 146-220-440 MHz with leads	110
CFX-514	Triplexer 50-146-440 MHz with leads	100

3D4M	Standard cable harness 12 ft	35
3D5M	Cable harness with PO base, 16.5 feet long	40
CK-3M	Deluxe cable for above, 10'	45
CK-3M5	Deluxe cable for above, 17'	55
CK-5N	Deluxe cable, 17' with N connector	60
CP-53/824	RS-730 mount with 3/8-24 mount, 16' cable'	90
CP-5M	RS-730 mount with PO mount, 16' cable'	90
CP-5NMO	RS-730 mount with NMO mount, 16' cable'	90
CQ-5M	Quick disconnect base with SO239 end	80
CR-5M	Cable kit with PO mount for Comet antennas, 5m	25
CT-5M	Adjustable trunk lip mount with 17' cable so239 end	60
RS-520	Small heavy duty trunk & hatch mount without cables	35
RS-560C	Medium Adj. Roof Rack / Pipe Mount	45
RS-720	Medium Adj. Trunk/Hatch/Lip Mount	35
RS-730	Large Adj. Trunk/Hatch/Lip Mount	40
WS-1M	Heavy duty windsheild mount	75

Hand Held Antennas

BNC24	144/440 MHz, 17" Flex. HT antenna, 2/3.5dB, BNC	30
CH-32	146/440 mini handheld antenna, Miracle baby	40
CHF-816	6/10/80 Meter Rubber Duck for FT817, 28"	150
HT-224	Antenna, 144-220-440 Mhz for HANDHELD	60
SH-95	Tri-band super slim handheld antenna	45
SMA-3	146-445-900 Mhz gain antenna with SMA connector, FT-50	50
SMA-24	144/440 SuperFlex H/H Ant. 17" Long SMA	30
SMA-501	146-445-900 Mhz compact antenna with SMA, For FT-50	35
SMA-503	Same as above except with thin whip	35

O & EM

Mobile Antennas

AX-50	Dual band 144/440 MHz, mobile antenna, 21" long	60
AX-75	Dual band 144/440 MHz, mobile antenna, 30" long	70
AX-95	Dual band 144/440 MHz, mobile antenna, 38" long	80
EX-107RB	144/440 MHz, 2.6 & 4.9 db, mobile antenna, 29", PO	70
EX-107RBNMO	144/440 MHz, 2.6 & 4.9 db, mobile antenna, 29", NMO	70
EX-510	50/144/440 MHz tri-band mobile antenna, 37", PO mount	85
EX-510NMO	50/144/440 MHz tri-band mobile antenna, 37", NMO mount	85

Hand Held Antenna

AH-14	20 meter telescopic antenna with BNC	60
AH-28	10 meter telescopic antenna with BNC	50
AHC-21	15 meter loading coil, BNC, base coil only	40
AS-30	144-440 MHz SUPERFLEX antenna, SMA thread, 17"	35
MH-209	144-440 MHz MINIFLEX antenna, BNC thread, 3"	30
MH-209SMA	144-440 MHz MINIFLEX antenna, SMA thread, 3"	30
MH-510	50-144-440 MHz rubber duckie antenna, SMA thread, 21"	50
MH-511	50-144-440 MHz rubber duckie antenna, SMA thread, 4.5"	45
MH-610	144-220-440 MHz rubber duckie antenna	65

Base Antenna

HVU-8	8 band base antenna, 80 to 2 meters, 8.5' long	400
--------------	--	------------



HF BEAM and VERTICALS ANTENNAS

A-3S	HF Beam 3 elem 10/15/20 w/SS	790
A-3WS	WARC bands 3 elem Beam 18/24MHz	655
A-4S	HF Beam 4 element, 14,21,28 MHz	940
A-743	Add on kit for A3 for 7 or 10 MHz	255
A-744	Add on kit for A4 for 7 or 10 MHz	255
D-3	14-21-28 MHz rotatable dipole, 26'	420
D-4	7-14-21-28 MHz rotatable dipole, 42'	550
MA-5B	Beam, 10, 12, 15, 17 and 20 meter, 5.0 db gain	600
MA-5V	Vertical, 10, 12, 15, 17 and 20 meter, 1/2 wave, 250 watts	340
MA-6V	Vertical, 6, 10, 12, 15, 17 and 20 meter, 1/2 wave, 250 watts	400
MA-8040V	Vertical, 80 and 40 meters	400
R-8	Verticle, 6, 10, 12, 15, 17, 20, 30 and 40 meter	620
R-6000	Vertical, 20 + 17 + 15 + 12 + 10 & 6 meters, 19 ft, 3 dbi	495
X-7	Triband HF, 7 element beam 20, 15 and 10m, 18' boom	1260
XM-240	40 meter, 2 element beam	1120

VHF - UHF YAGI ANTENNAS

13B2	144-148 MHz, 13 elem 15.8 db, 15' boomer	310
17B2	144-148 MHz, 17 element boomer 18 db	470
26B2	144-148 MHz, boomer 2-13B2 18.8 db	800
124WB	144-148, wide-band 4 element boomer	135
224WB	220-225 MHz, wide-band 4 element boomer	120
719B	430-450 MHz, 19 Element, 15.5 db, 13.5' boom	300
A50-3S	50-51MHz beam, 3 element	165
A50-5S	50-51 MHz beam, 5 element	265
A50-6S	50-51 MHz beam, 6 element	460
A148-3S	146-148 MHz, FM Yagi, 3 elements, 7.8db	80
A148-10S	146-148 MHz, FM Yagi, 10 elements, 13.2db	170
A148-20T	144-148 MHz, 10 element, 'TWIST' yagi, 13 db	280
A270-6S	146 & 440 MHz, 6 element, 2.8' long, 3 elements per band	155
A270-10S	146 & 440 MHz, 10 element, 6' long, 5 elements per band	210
A430-11S	430-440 MHz, SSB beam, 11 elements	135
A449-6S	440-450 MHz, FM Yagi 6 elements	95
A449-11S	440-450 MHz, FM Yagi 11 elements	140
A627013S	6m 2m & 70cm beam 5 element on 2 & 70, 3 element on 6m	330

VHF - UHF VERTICALS ANTENNAS

AR-2	VHF Ringo 135-160 MHz	80
AR-6	VHF Ringo 50-54 MHz	115
AR-10	VHF Ringo 28-29.7 MHz	130
AR-270	Dual band Ringo 3 db VHF	175
AR-270B	Dual band Ringo vertical antenna 5.5-7.5 db	230
AR-450	UHF Ringo 440-460 MHz	60
ARX-2	VHF Ringo ranger 135-160 MHz	95
ARX-2B	VHF Ringo ranger II 135-160 MHz	140
ARX-220B	VHF Ringo ranger II 220-225MHz	140
ARX-450B	UHF Ringo ranger II 435-470 MHz	130

STATIC DISCHARGE PROTECTION

LAC-4	Gas tube lightning arrestor, 200 watts, SO-239 connectors	60
LAC-4H	Gas tube lightning arrestor, 2000 watts, SO-239 connectors	65
LAC-4N	Gas tube lightning arrestor, 200 watts, 'N' connectors	80
LAC-4NH	Gas tube lightning arrestor, 2000 watts, 'N' connectors	80

DIAMOND ANTENNA

BASE ANTENNAS

BB-7V	HF vertical base antenna, 2-30 MHz.....	460
CP-6A	HF base antenna, 80-40-20-15-10-6 meters.....	390
D-130J	Discone antenna no cable.....	130
D-130JN	Discone antenna no cable with N connector on base of ant... ..	125
V-2000	50-144-440 MHz base antenna, 2.15-6.2-8.4 db.....	245
X-30A	VHF-UHF 200w, 3.0db-5.5 db, 6' long.....	90
X-50A	VHF-UHF 200w, 4.5db-7.2 db, 6' long.....	130
X-200A	VHF-UHF 200w, 6db-8 db, 10' long.....	170
X-300A	VHF-UHF 200w, 6.5db-9 db, 13' long.....	200
X-510HDM	VHF-UHF 200w, 8.3 db-11.5 db, 18' long.....	300
X-510NA	VHF-UHF 200w, 8.3 db-11.5 db, 18' long.....	265
X-3200A	144-220-440 MHz base antenna, 6-7.8-8 db.....	230
X-6000	144-440-1200 MHz base antenna,.....	315

MOBILE ANTENNAS

CR-1027	10-144-440 MHz tri-band antenna, 2.5-3.8-5.5 db.....	110
CR-270	144-440 MHz dual-band antenna, 2.15-3.4 db.....	55
CR-320A	144-220-440 MHz tri-band antenna, 2.5-3.8-5.5 db.....	100
CR-627B	50-144-440 MHz tri-band antenn, 2.15-4.5-7.2 db.....	130
CR-8900	28-50-144-440 MHz quad-band antenn, 0-0-2.15-5.5 db.....	140
HV-7A	29-52-144-440 MHz, Quad band and for FT-8900R.....	150
M-285	2 meter mobile antenna, 3.4 db.....	40
SG-7000	144-440 MHz, 2.15 db-3.8 db, 19" long.....	90
SG-7500	144-440 MHz dual-band antenna, 3.5 db-6 db, 41" long.....	95
SG-7500NMO	Same as SG-7500 but with NMO mount, 41" long.....	100
SG-7900	144-440 MHz dual-band antenna, 5 db-7.6 db, 56" long.....	150
SGM-911	Tri-band antenna, 50-144-440 MHz, 2.15-3.5-5.5 dbi, 41", thin.....	90

DUPLEXERS & TRIPLEXERS

MX-62M	1.6-56 and 76-470 MHz duplexer, SO-239 in, PL-259 out.....	90
MX-72D	144-440 MHz duplexer with all SO-239 connectors.....	60
MX-72H	144-440 MHz duplexer with SO-239 in & PL-259 out.....	65
MX-72N	144-440 MHz duplexer with SO-239 & N in with PL-259 out.....	65
MX-324	144-220-440 MHz triplexer with SO-239 in & PL-259 out.....	100
MX-2000	50-144-440 MHz triplexer, no leads.....	120

MOUNTS AND CABLE KITS

C-101	6.5 foot thin cable with PO mount.....	55
C-101NMO	6.5 foot thin cable with NMO mount.....	55
C-110	10 foot extension for C-101 in RG-8X cable.....	30
C-110BNC	10 foot extension for C-101 with BNC mount in RG-8X cable.....	40
C-110SMA	10 foot extension for C-101 with SMA mount in RG-8X cable.....	40
C-211	17' cable C-101 and C-110 combined, Also available in NMO.....	75
C-213	13.5 foot of thin cable with PO mount, Also available in NMO.....	55
C-213NMO	13.5 foot of thin cable with NMO mount, Also available in NMO.....	65
CRM	Right angle stainless steel mount.....	25
FE-54N	Low loss cable assembly for mounts, 15'.....	70
K-300M	Folding gutter mount with thin low loss cable.....	90
K-400	Deluxe 180 degree adjustable trunk lip mount.....	55
K-400C	Deluxe 180 degree adjustable trunk lip mount with 6.5' cable.....	95
K-400C-NMO	Deluxe 180 degree adjustable with 6.5' cable & NMO mount.....	95
K-400S	180 degree adjustable PO mount with 6.5' cable, SMA cable.....	115
K-400S-NMO	180 degree adjustable NMO mount w/ 6.5' cable, SMA cable.....	115
K-400-3/8C	Same as K-400 but with 3/8 mount hardware.....	100
K-412C	Medium duty adjustable trunk lip mount with 6.5' cable.....	85
K-412C-NMO	Medium duty adjustable trunk lip mount with 6.5' cable, NMO.....	85
K-412S	Medium duty adjustable trunk lip mount with 13' cable.....	100
K-540	Deluxe folding carrier mount for roof racks.....	50
K-550	Luggage rack mount without cable.....	60
K-600M	Adjustable angle PO mount with thin cable with PO mount.....	75
K-601M	Deluxe trunk lip mount with thin cable for PO series.....	90
K-601NMO	Deluxe trunk lip mount with thin cable for NMO series.....	90
K-702M	Heavy duty mag mount with PO style connector.....	70
K-9000LRM	Motorized fold over roof rack/luggage mount.....	155
K-9000TM	Motorized fold over trunk lip mount.....	155
SPM-35	Deluxe mobile magnetic mount.....	60
SPM-NMO	Deluxe mobile magnetic mount with NMO mount.....	70

HANDHELD ANTENNAS

RH-3	Compact 144-440 Mhz antenna, Wide Band Rx, 1.5" long.....	40
RH-205	2 meter 5/8 telescopic antenna.....	35
RH-77CA	Dual band rubber duckie, 14" long.....	35
RH-519	Dual band rubber duckie with slim whip.....	35
SRH-77CA	Dual band rubber duckie, 14" long with SMA connector.....	35
SRH-519	Same as RH-519 but with SMA connector.....	35
SRH-805	Same as RH-3 but with SMA connector.....	45

DIAMOND ANTENNA



SX-100	SWR & power meter, 1.8 to 60 MHz, 30-300-3 kwatt scales.....	180
SX-200	SWR & power meter, 1.8 to 200 Mhz, 200 watts.....	135
SX-400	SWR & power meter, 140 to 525 Mhz, 200 watts.....	160
SX-600	SWR & power meter, 1.8 to 512 Mhz, 200 watts.....	245
SX-1000	SWR & power meter, 1.8 to 1300 Mhz, 200 watts.....	320

Power and SWR Meters

CN-101L	Cross needle 1.8-150MHz, 1.5Kwatts, P.E.P. with light.....	125
CN-103L	Cross needle 140-450 MHz 200watts, P.E.P. with light.....	125
CN-801HP	Large Cross needle SWR/power meter, 1.8-200 MHz.....	175
CN-801SII	Large Cross needle SWR/power meter, 900-2500 MHz, N con.....	320
CN-801VM	Large Cross needle SWR/power meter, 140-450 MHz.....	175

Coax Switches

CS-201	2 position coaxial switch with UHF connectors, 0-500MHz.....	40
CS-201G	2 position coax switch with "N" connectors, 0-500 MHz.....	60



146-4H	VHF 2 meter cavity filter, 4 cavities.....	200
2M-440	Dual band, 2m & 70 cm cavity filter.....	300
223.53H	222-225 Intermod Filter.....	170

Geochron

BoardRoom	Geochron Wall Mount, World Time.....	2650
Original	Geochron Wall Mount, Original model.....	1700
Original-Anodized	Anodized Finish, Geochron Original model.....	2000
Original-SS	Stainless Finish Geochron Wall Mount, Original model.....	2100
Original-WOOD	Wood Finish, Geochron Wall Mount, Original model.....	2050
Standard	Geochron Wall Mount, Standard model.....	1600
Update	Update map kit.....	Call
WorldWatch	Geochron world map software for windows.....	70

O&EM



BM-104	Lightweight headphones with HC-4 cartridge	115
BM-105	Lightweight headphones with HC-5 cartridge	115
GM-4	Goldline desk microphone, DX'ers dream	160
GM-5	Goldline desk microphone, high fidelity	160
GM-V	Vintage Goldline desk microphone, high impedance	170
HM-10-Dual	Microphone with HC-4 and HC-5	155
HM-IC	Hand microphone for Icom 8 pin radios	105
HM-5	Hand microphone with HC5 cartridge	120
HTDS	Traveler Headset with dual side, requires H adapters	110
HTSS	Traveler Headset with single side, requires H adapters	85
PR-20	Proline 20 Professional mic	180
PR-30	Professional mic with cardioid studio cartridge	280
PR-781	Mic package for IC-78000	180
ProSet-4	Professional quality boomset with HC-4, cable separate	165
ProSet-5	Professional quality boomset with HC-5, cable separate	165
ProSet-IC	Professional quality boomset with HC-5 for Icom 8 pin	170
ProSet-Plus	Professional quality boomset with HC-5, cable separate	240
ProSet-Plus-IC	Professional quality boomset with HC-5 for Icom	260
Quiet Phone	Headset with noise cancelling	120

AD-1*	8 pin cable adapter for Kenwood, Yaesu or Icom for Pro-Set	25
AD-1-M*	DB9 cable adapter for Kenwood, Yaesu or Icom for Pro-Set	25
AD-100	Adapter cable for FT-100	25
CB-1PTT	PTT classic base with PTT	90
CC-1*	Cable for GM & HM microphones, please specify radio	45
CC-1XLR*	XLR cable kit for mics	45
FS-2	Dual foot switch for IC-706	55
HS-2	Hand switch for all Heil products	50
HSTA*	Adapter cable for traveller, mobile ver, please specify radio	40
HTA*	Adapter cable for traveller, handheld ver. please specify radio	40
PL-2T	Proline balanced arm with topless boom mount	145
SB-2	Small boom mount stand	70
SM-1	Shock mount for boom mic's	70
TB-1	***Discontinued*** See CB1	

* Please specify radio.



4-BTV	Base vertical 10-15-20-40 meters	220
5-BTV	Base vertical 10-15-20-40-75	270
6-BTV	Base vertical 10-15-20-30-40-75	320
RX-2	VHF mobile antenna 3 db with magnetic mount	35
RM-10, 12 or 15	10, 12 or 15 meter resonator 400 watts SSB	25
RM-17	17 meter resonator 400 watts SSB	30
RM-20	20 meter resonator 400 watts SSB	30
RM-40	40 meter resonator 400 watts SSB	35
RM-75	75 meter resonator 400 watts SSB	35
RM-80	80 meter resonator 400 watts SSB	35
RM-10S	Super 10 meter resonator	35
RM-15S	Super 15 meter resonator	35
RM-20S	Super 20 meter resonator	40
RM-40S	Super 40 meter resonator	50
RM-75S	Super 75 meter resonator	70
RM-80S	Super 80 meter resonator	70

Accessories

MO-1	Lower folding mast for resonators	45
MO-2	Higher folding mast for resonators	45
MO-4	Compact mast for Hustler resonators. 20"	30
BM-1	Heavy duty ball mount	30
C-29	Stainless steel spring	25
C-30	Chrome plated steel spring	20
C-32	Swivel ball mount, standard size	25
DCX	Discone base antenna	35
HLM	Trunk lip mount with swivel	35
MBM	Super magnet 5" diameter	30
QD-2	Quick disconnect	30
RV-M	Mount for RV with swivel ball	30
SSM-1	Stainless steel ball mount	70
SSM-2	Deluxe heavy duty ball mount	40
SSM-3	Stainless steel spring mount	35
TLM	Trunk lip mount for mobile antennas, 12 feet coax	35
VP-1	Antenna adapter plate for multiply antennas	10



HF Antenna

AV-12AVQS	Trap vertical 10-20 meters, Total height 14'	160
AV-14AVQS	Trap vertical 10-40 meters, Total height 18'	220
AV-14RMQ	Roof mounting kit for 14AVQ & 12 AVQ	120
AV-18AVQII	Trap vertical 10-80 meters, Total height 18'	300
AV-18VS	Base loaded vertical, 10-80 meters (one band only), 18'	130
AV-620	6 band vertical, 6-20 meters, no radials	380
AV-640	8 band vertical, 6-40 meters, no radials	500
DB-1217	7 element yagi for 12 & 17 meyers, 14' boom	570
Discoverer 7-1	Rotary dipole 30/40 meters, single element	370
Discoverer 7-2	2 element rotary dipole, 30 or 40 meters, 4.4 dbd	835
Director 7-3K	Add on director element for Discoverer 7-2	520
DP-2BDQ	Doublet dipole for 40-80 meters, 101' length	180
DP-5BDQ	Doublet dipole, 10 to 80 meters, 94' length	330
DP-19PD	Adjustable portable dipole, 10-80 meters	355
DX-77A	7 band vertical, 40-10m, no ground radials required	570
DX-88	HF vertical 8 bands, 10-80 meters 25' long	470
GRK-88	Ground radial kit for DX-88, 14' long	120
RRK-88	Roof radial kit for DX-88	135
160MK-88	160 meter add on kit for DX-88	250
EXPLORER14	10-15-20 beam with 5.9 db gain, 14 ft boom, 25db f/b	760
QK-710	Quad band option for Explorer 14, 30 or 40 meter	200
LJ103BA	3 element 10 meter antenna, 5.7 dbd, 8' boom	205
LJ105CA	5 element 10 meter antenna, 8.6 dbd, 24' boom	370
LJ153BA	3 element 15 meter antenna, 5.7 dbd, 12' boom	265
LJ155CA	5 element 15 meter antenna, 7.5 dbd, 26' boom	545
LJ203BA	3 element 20 meter antenna, 5 dbd, 16' boom	415
LJ204BA	4 element 20 meter antenna, 6 dbd, 26' boom	680
LJ205CA	5 element 20 meter antenna, 7.3 dbd, 31' boom	970
LP-1009A	12 element log periodic, 14-30 Mhz, 27' boom	1800
LP-1010A	12 element log periodic, 10-30 Mhz	2200
TH-2MK3S	2 element 10-15-20 meters, 3.4 dbd, 6' boom	470
TH-3JRS	3 element 10-15-20 meters, 5.9 dbd, 12' boom	455
TH-3MK4	3 element 10-15-20 meters, 14' boom	595
TH-5MK2S	5 element 10-15-20 meter, 6.9 dbd, 19' boom	960
TH-7DXS	7 element 10-15-20 meter beam, 7.4 dbd, 24' boom	1100
TH-11DXS	11 element 10-12-15-17-20 meter beam, 7.1 dbi	1450

VHF & UHF ANTENNAS

23FM	3 element 2 meter beam, 6.1 dbd, 3.6' boom	65
25FM	5 element 2 meter beam, 9.1 dbd, 6.3' boom	80
28FM	8 element 2 meter beam, 11.8 dbd, 12.3' boom	105
64DX	4 element 6 meter beam,	185
66DX	6 element 6 meter beam, 10.3 dbd, 24.5' boom	340
214FM	14 element, 2 meter, 13 db, 15' boom	120
215DX	144-146 Mhz SSB 15 element, 14.2 dbd, 28' boom	290
V-2R	Collinear 2 meter vertical, 3 dbd, 9.3' long	145
V-2Pro	Commercial version of V-2R	350
V-3R	Collinear 220 MHz, 6.6', 3db	160
V-4R	Collinear 70 cm vertical, 3 dbd, 3.8' long	145
V-4Pro	Commercial version of V-4R	330
V-42R	Dual band collinear for 2 m & 70 cm, 3/ 5 dbi, 9'	220
V-6R	Collinear 51-54 MHz, 3db, 25'	265

OSCAR ANTENNAS

216SAT	OSCAR antennas, 16 element twist 145.9 MHz, 11.5 dbi, 14'	290
218SAT	OSCAR antennas, 2 meter and 70 cm combined twist'	700
UB-7030SAT	432-438 MHz OSCAR satellite beam	295
UB-7031DX	31 element, 420-438 MHz Satellite beam	280

ROTATORS

AR-35	Light duty rotor for VHF/UHF antenna	105
AR-40	Light duty rotor for compact antenna	375
CD-45II	Metered rotator with friction brake, 8.5 sq-ft	490
DCU-1	Digital rotor control box for Telex rotors	880
HAM-IV	Metered rotator with wedge brake, 15 sq-ft	775
HAM-V	Ham-iv rotor with DCU-1 control box	1250
HDR-300A	Heavy duty rotator with digital readout, 25 sq-ft	1850
T2X	Heavy duty rotator with wedge brake, 20 sq-ft	940
T2X(DCU-1)	Same as T2X but digital control box	1350
MSHD	Lower mast adapter, heavy duty	140

Miscellaneous

BN-86	Beam balun, 3-30 MHz, 1500 watts, SO-239 connectors	105
BN-4000B	Beam balun, 1-54 MHz, 4 kw, SO-239 connectors	140
BN-4000D	Dipole balun, 1-54 MHz, 4 kw, SO-239 connectors	140
BN-4000N	same as BN-4000B but with N connectors	155

KAM-XL DSP TNC for HF and VHF all modes	560
KPC-3Plus Compact 1200 baud packet only unit with FAX with 128K.....	270
KPC-9612Plus Compact 9600/1200 baud packet dual gate with 128K ...	500

GPS Tracking Units

KML-5000 Passive tracker box that stores info on SD card, veiw on PC	450
MiniTrackGPS Tracking box with GPS unit and antenna	300



COMPLETE MOBILE ANTENNAS

KG-144-UDPL Glass mount 144 MHz mobile antenna	95
KG-270-CXPL Glass mount dual band 144-440 Mhz mobile	140
KG-440UDPL Glass mount 440 MHz antenna	110
NMO-150-MMR Magnetic mount, 5/8 coil & whip for 2 meter	85
NMO-150-TLM Trunk lip mount,5/8 coil & whip for 2 meter	90
NMO-150-K Hole mount 3/4",5/8 coil & whip for 2 meter	60
NMO-2/70-MMR Mag mount with dual band coil & whip	110
NMO-2/70TLM Trunk lip mount set for dual band	100
NMO-2/70-K Hole mount set 3/4" for dual band	80

MOUNTS ONLY

LM-B LM mounting hardware only	9
LM-K Hole mount 3/4in, with 17' coax & connector	23
LM-K-FME Hole mount 3/4in, with 17' coax and FME end	23
LM-MM Magnetic mount for LM thread with 12' coax cable	50
LM-MM-FME Magnetic mount with LM thread and FME end	50
NMO-B NMO mounting hardware only	9
NMO-K Hole mount 3/4in for NMO thread with PL-259	20
NMO-K-FME Hole mount 3/4in for NMO thread, FME end	20
NMO-MMR Magnetic mount for NMO thread with PL-259 connector	40
NMO-MMRDS-FME Magnetic mount for NMO thread with FME end	45
NMO-TLP Trunk lip mount with 17' coax & connector	40
PO-B SO-239 thread base hardware only	35
PO-K Hole mount 3/4in for SO-239 thread	45
PO-MMR Magnetic mount for SO-239 thread	70

COILS ONLY

LM-150-BCO 138-174MHz, 5/8 wave for any LM mount	33
NMO-27-BCO 27-31 MHz, 1/4 wave for NMO mount, black	37
NMO-150-BCO 138-174MHz, 5/8 wave for any NMO mount, black	25
NMO-220-BCO 220-225 MHz, black coil with NMO base	35
NMO-2/70-BCO Dual band black coil, 2M & 70CM for NMO mount	40
NMO-WB150-BCO Wide band 138-174 Mhz coil, 2.5 db for NMO mount	40
PO-150BCO 138-174 MHz, 5/8 wave for PO mounts	50

WHIPS ONLY

NMO-Q88 88-136 MHz, unity gain (NMO-Qbase + W200B whip)	30
NMO-QB 136-512 MHz, unity gain 1/4 wave, NMO base, needs tuning ..	30
QB 136-512 MHz, unity gain 1/4 wave, NMO base, needs tuning ..	13
W-490 Whip 49in,for 150/220 & 27 coils	10
W-490B Whip 49in,for 150/220 & 27 coils, black	20
W-154 Series whip for 440 coil	30
W-2/70 Whip for dualband coil	35
W-2/70B Whip for dualband coil in black	35

ACCESSORIES

FB FME to BNC male adapter	6
FM FME to Mini UHF male adapter	6
FN FME to 'N' male connector adapter	14
FP FME to PL-259 (UHF male) adapter	6
FSM FME to SMA male adapter	6
KG-ReInstall Reinstall kits for KG series antennas	10
NMO-CAPB Rain cap for NMO base mounts, black	5

Tuners

AT-1000Pro Desktop high power auto antenna tuner, 1000w, 1.8-30 MHz	700
AT-100PRO Desktop memory tuner, 0.1 to 125 watts	265
AT-200PRO Desktop memory tuner, 250 watts	300
AT-897Plus Matching auto antenna tuner for FT-897, 1.8-30 MHz	240
IT-100 Auto memory tuner for IC-7000/706, 0.1 to 125 watts	220
KT-100 Kenwood Automatic antenna tuner, 125w, Newer HF radios	240
RT-1000 Remote high power auto antenna tuner, 1000w, 1.8-30 MHz	700
YT-100 Auto memory tuner for FT-100, 857, 897	245
Z-100Plus Mobile memory tuner, 0.1 to 125 watts, 2000 memories	195
Z-11Pro Mobile compact memory tuner, 0.1 to 125 watts	215
Z-817 Mobile compact memory tuner for FT817, 0.1 to 125 watts ...	160

DM-7800 Remote meter for IC-7800	215
DTS-4 4 position antenna switch	100
DTS-4R Remote switch for DTS-4	55
DTS-6 6 position antenna switch	120
DTS-6R Remote switch for DTS-6	70
FTL-Meter Large meter for Yeasu FT-857 or FT-897	100
FT-Meter Meter for Yeasu FT-857 or FT-897	70
K-OTT Kenwood interface unit for AT-11 or RT-11 for TS-50S	80
M-7700 Large meter for Icom IC-7700	100
MULTI-DC Power basr with 6 outlets	65
RBA-1-1 1:1 balun for Z11 tuner	35
RBA-4-1 4:1 balun for Z11 tuner	35
RCA-14 Universal asseccory jack	75
RT-REMOTE Remote head for RT-11 tuner	50
TW-1 Taling wattmeter for HF	180
TW-2 Taling wattmeter for VHF/UHF	180



Chargers & Conditioners

MH-C204F Charger Only For NiMh & Ni-Cad "AA" Batteries	35
MH-C204F/AA Charger, NiMh & Ni-Cad "AA" Bat,Includes 4 "AA"	45
MH-C204W/AA Charger, 110+220 volt ac adapter, Includes 4 "AA"	50
MH-C401FS Smart charger for NiMH and NiCad plus 4 "AA"	65
MH-C777Plus-2 Universal charger for all batteries w/ LCD display + cond	110
MH-SCW4 Clip leads for MH-C777	5
MH-SDC124 Car adapter for MH-C204F or MH-C214	5

4AA2700 2700 mAH "AA" batteries, package of four	20
4AAA 650mAH "AAA" batteries, package of two	20

Nickel-Metal Hydrate Batteries

Icom Batteries

MH-BP7 Icom NiMH battery, 900 mah, 13.2 volts, older series HT's	90
MH-BP83 Icom NiMH battery, 1200 mah, 7.2 volts W series HT's	60
MH-BP173 Icom NiMH battery, 650 mah, 9.6 volts, newer HT's	85
MH-BP180 Icom NiMH battery, 7.0 volts, 1000 mAh, T7, W32, T22	70
MH-BP200 Icom NiMH battery, 9.6 volts, 680 mAh, T81, T90	75

Yaesu Batteries

MH-FNB12 Battery for FT-470, 411 & 23, 12v, 1000 mAh	80
MH-FNB17 Battery for FT-470, 411 & 23, 7.2v, 900 mAh	75
MH-FNB27 Battery for FT-530, 12v, 1000 mAh	80
MH-FNB38 Ni-MH battery, 650 mah, 9.6 volts FT-11/51	80
MH-FNB40 Ni-MH battery, 650 mah, 7.2 volts FT-10/50	80
MH-FNB41 Ni-MH battery, 900 mah, 9.6 volts FT-10/50	80
MH-FNB58LI Lithium Ion battery, 7.4v, 1200 mAh, VX-5R or VX-7R	80
MH-FNB72 Yaesu NiMH battery, 9.6 volt, 1700 mAh for FT-817	85
MH-FNBV57 Yaesu NiHM battery, 7.2 volt, 1500 mAh for VX-150	75

Kenwood Batteries

MH-PB8 Kenwood battery for TH-77 or TH-26, 12v, 1300mAh	75
MH-PB17 Kenwood battery for TH-78 or Th-28, 12v, 1300mAh	85
MH-PB32 Kenwood NiMH battery, 1000 mah, 6 volts, TH-22/79	65
MH-PB34 Kenwood NiMH battery, 900 mah, 9.6 volts, TH-22/79	75
MH-PB39H Kenwood NiHM battery, 6.0 volt, 1800 mAh for TH-G71, D7	75
MH-PB42LI Lithium Ion battery, 7.4v, 1800 mAh, Kenwood TH-F6A	85



TUNERS and METERS

MFJ-801	Compact field strength meter	35
MFJ-802	Deluxe field strength meter	65
MFJ-805	RFI detector meter	110
MFJ-812B	Basic VHF SWR/ watt meter	50
MFJ-815B	Cross-needle 1.8-60 MHz SWR/watt meter	130
MFJ-816	Basic HF SWR/ watt meter	50
MFJ-817	Cross needle meter for VHF & UHF	110
MFJ-840	VHF Handheld watt meter 144 Mhz	35
MFJ-841	VHF handheld SWR & watt meter	55
MFJ-844	Compact VHF/UHF cross needle meter	95
MFJ-860	Cross-needle SWR watt meter, 1.8-60 MHz 30/300 watts	70
MFJ-862	Cross-needle SWR watt meter, 144-220-440 Mhz 30/300	80
MFJ-864	Cross-needle SWR meter, 1.8-60, 144, 440 Mhz 30/300	110
MFJ-870	Wattmeter, 1.6 - 60 MHz, large display, 3000 watts	120
MFJ-872	Wattmeter, 1.8 - 200 MHz, large display, 200 watts	120
MFJ-873	Wattmeter, 125 - 525 MHz, large display, 200 watts	150
MFJ-874	Wattmeter, HF-VHF-UHF, large display, 200 watts	160
MFJ-901B	Basic antenna tuner 200W, 80-10m, no meters	105
MFJ-902	Compact basic antenna tuner 200W, 80-10m, no meters	105
MFJ-903	6 meter antenna tuner, 100 watts	75
MFJ-906	6 meter antenna tuner with meter, 200 watts SSB	105
MFJ-910	HF mobile antenna matcher	35
MFJ-914	Tuner match box for any antenna for auto tuners	85
MFJ-921	144 & 220 MHz tuner with meter	95
MFJ-924	440 MHz Tuner with meter	100
MFJ-931	Artificial RF ground	120
MFJ-934	Antenna tuner with artificial ground with meter	225
MFJ-941E	Antenna tuner 300W, 10-160M	150
MFJ-945E	Antenna tuner 300W, 10-80M	140
MFJ-948	Antenna tuner 300W, cross meter	170
MFJ-949EY	Antenna tuner 300W, 10-160M	190
MFJ-956	For receivers only, preselector & tuner for LW-MW-SW	75
MFJ-959C	Receiver antenna tuner and preamplifier	130
MFJ-962D	Tuner 10-160M, 1.5KW	320
MFJ-969	HF with 6 meters tuner, 300w, built-in dummy load	235
MFJ-971	Portable antenna tuner for CW transceiver	130
MFJ-974H	Johnson match box	225
MFJ-986	Roller inductor tuner 3KW	370
MFJ-989D	PEP roller inductor tuner 3KW	400
MFJ-993B	Auto antenna tuner, manual band selection, 300 watts	375
MFJ-16010	Random wire tuner for HF transceiver	75

KEYERS

MFJ-401D	Compact economy keyer	75
MFJ-403	Tiny traveller Iambic key	70
MFJ-407D	Deluxe electronic keyer	90
MFJ-411	Personal morse code tutor	Clearout 90
MFJ-413	Compact personal morse code tutor	60
MFJ-416	CW adapter plug-in	60
MFJ-418	Personal code tutor with LCD display	100
MFJ-422D	Combo keyer & Bencher paddle	230
MFJ-434	Memory voice keyer for contesting	220
MFJ-441	Compact econo keyer	90
MFJ-447	Deluxe compact keyer	115
MFJ-451	Morse keyboard, IBM compatible	150
MFJ-451X	Same as 451, interface only	125
MFJ-452	Super CW keyboard with perpetual memory, LCD display	180
MFJ-461	Morse code reader	100
MFJ-462B	CW, RTTY, ASCII and AMTOR Multi reader	220
MFJ-464	CW reader, keyer, keyboard	220
MFJ-490	Menu driven memory keyer w/Bencher paddle	260
MFJ-490X	Same as MFJ-490 without Bencher paddle	150
MFJ-492	Menu driven deluxe memory keyer	140
MFJ-492X	Same as MFJ-492 with extra 8K memory	150
MFJ-495	Memory Keyer with Keyboard w/LCD	200
MFJ-550	Basic plastic straight key	20
MFJ-551	IBM AT 101 keyboard for 493 keyer	50
MFJ-557	Deluxe code practice key w/oscillator	50
MFJ-561	Miniature travel Iambic Keyer	45
MFJ-564	Deluxe Iambic paddle, Chrome base	85
MFJ-564B	Deluxe Iambic paddle, Black base	85

Miscellaneous

MFJ-29C	Carrying pouch for MFJ Analyser with Window	40
MFJ-66	Dip meter adapter 1.8-30 MHz	30
MFJ-97	Gas tube plug for MFJ-270 lightning arrester	15
MFJ-98B	Deluxe accessory pack for 269	100
MFJ-99B	Deluxe accessory pack includes: 29C + 66 + 1315	100
MFJ-105C	Quartz 24 hour wall clock	35
MFJ-107B	Single display 24 hour clock	20
MFJ-108B	Dual 12/24 hour clock	35
MFJ-118	Jumbo LCD 12/24 hour clock	45
MFJ-119B	Jumbo LCD 12/24 hour clock	60
MFJ-121	24 & 12 hour Atomic large clock	110
MFJ-124	Atomic 24 hour desk clock	50
MFJ-125	World clock, 24 hours	50
MFJ-131RC	12/24 hour Atomic wall clock	70
MFJ-132RC	12/24 hour Atomic clock with temperature	25
MFJ-192	Wireless weather station	90
MFJ-192S	Extra remote for 192	35
MFJ-201	1.5-150 MHz Dip meter	180
MFJ-202B	RX Noise Bridge for tuning your antennas	90
MFJ-204B	Antenna Bridge for peak tuning of antennas	110
MFJ-207	HF SWR analyser	110
MFJ-208	VHF SWR analyser	115
MFJ-209	1.8-170 MHz SWR analyser	180
MFJ-212	Tuner with antenna matchmaker built-in	110
MFJ-216	Deluxe amplifier saver	95
MFJ-217	SWR Analyser 30-60 MHz	100
MFJ-224	SWR analyser for 144-148 only, deviation	200
MFJ-249	1.8-170 MHz SWR & Frequency counter	300
MFJ-250X	Dummy load in can without oil	55
MFJ-259B	SWR Analyser with RF Resistance Meter	300
MFJ-260C	Dummy load 300 watts, 1.8-150 MHz	50
MFJ-264	Dummy load 1500 watts, 1.8-650 MHz	90
MFJ-267	Dummy load 300w with built-in SWR meter, 1.8 to 54 MHz	180
MFJ-269	New SWR Analyser with RF Resistance Meter+ UHF	430
MFJ-270	Lightning arrester for HF to 1000 Mhz	50
MFJ-272	Lightning arrester for HF to 1000 Mhz, 1500 watts	65
MFJ-280	Compact mobile 8 ohm speaker	35
MFJ-281	Mobile speaker, 8 ohms	25
MFJ-286	Speaker mic for Kenwood handhelds	30
MFJ-288I	Compact boom mic for Icom	45
MFJ-288K	Compact boom mic for Kenwood	45
MFJ-288Y	Compact boom mic for Yaesu	45
MFJ-290	Mic for MFJ-9420 SSB Transceiver	50
MFJ-297	Compact desk microphone, adapter cable required	90
MFJ-299	Console Desk Mic with Equalizer	130
MFJ-382	Deluxe Amplified ClearTonb 8 ohm speaker	60
MFJ-392B	Professional Grade Communications Headset	35
MFJ-393I	Communications Headset with mic for Icom	85
MFJ-393K	Communications Headset with mic for Kenwood	90
MFJ-393Y	Communications Headset with mic for Yaesu single pin	90
MFJ-495	Memory keyer/ keyboard with LCD	200
MFJ-616	Speech Intelligibility Enhancer	200
MFJ-624D	Phone patch	185
MFJ-633	Rapid battery charger for AA batteries	45
MFJ-702B	Low pass filter, 200 watts	60
MFJ-704	Low pass filter, 1500 watts	75
MFJ-711B	High pass filter	40
MFJ-722	CW and SSB audio filter	110
MFJ-752C	Dual tunable audio filter	130
MFJ-781	DSP filter for any TNC or multimode data controller	170
MFJ-784B	New DSP audio filter	295
MFJ-850	120 volt line monitor with meter	35
MFJ-852	Power line noise meter	130
MFJ-854	RF current meter reads true RF	140
MFJ-886	Frequency counter	150
MFJ-890	DX Beacon Monitor	140
MFJ-912	W9INN balun box	75



MFJ-915	RF Isolator, 1500 watts PEP, 1.8-30 MHz	40
MFJ-916B	Duplexer 144-440 Mhz 200 watts PEP	45
MFJ-1020C	Indoor active antenna SW reception	115
MFJ-1022	0.3-200 MHz SWL active antenna	75
MFJ-1024	Outdoor active antenna SW reception	170
MFJ-1026	Deluxe noise cancelling antenna	210
MFJ-1040C	Preselector for 0-30 MHz	130
MFJ-1046	Receiver preselector 1.8-24 MHz	130
MFJ-1112	DC multiple outlet	55
MFJ-1116	Multiple DC power bar outlet	75
MFJ-1117	Multiple DC outlet, High current	75
MFJ-1118	High current multiple DC bar outlet	100
MFJ-1261	Microphone control centre for one mic input to two radios	120
MFJ-1272BYV	TNC-Mic switch for KAM VHF	60
MFJ-1272BYH	TNC-Mic switch for KAM HF	60
MFJ-1272BZ	TNC-Mic switch for PK-88	60
MFJ-1272M?	TNC-Mic switch, for RJ-45, please specify TNC	60
MFJ-1275	Multimode Soundcard Radio Interface	125
MFJ-1312	All mode interface with Packet-CW-RTTY-WeFax	Clearout 300
MFJ-1312D	12 volt 300 mAh AC adapter for MFJ products	25
MFJ-1682	12 volt, 500 mAh AC adapter with 2.1mm barrel plug	25
MFJ-1682	Windows for packet radio for IBM	35
MFJ-1683K	Radio control software for Yaesu radios	40
MFJ-1700C	6 position Ant. switch for HF/ANT	110
MFJ-1701	6 position coax switch for HF	85
MFJ-1704	4 position coax switch for 0-450 MHz	100
MFJ-1704N	4 position coax switch for 0-450 MHz with "N" connectors	100
MFJ-1710	2 meter telescopic 3/8 wave for handhelds	15
MFJ-1712	144-440 MHz telescopic antenna for handhelds 7.5 to 19"	25
MFJ-1713	144-440 MHz Super thin antenna for handhelds with BNC	30
MFJ-1713S	144-440 MHz Super thin rubber duckie antenna with SMA	30
MFJ-1714	1/2 wave 2 meter telescopic antenna for handhelds, BNC	25
MFJ-1715	144-440 Mhz super flex antenna for handhelds, BNC, 12.5"	40
MFJ-1715S	144-440 MHz "Super Flex" rubber duckie with SMA, 12.5"	40
MFJ-1716	Dual band rubber duckie 7" long for BNC radios	25
MFJ-1716S	Dual band rubber duckie 7" long for SMA radios	25
MFJ-1716V	2 meter duckie for BNC radios	15
MFJ-1716VS	2 meter rubber duckie for SMA radios	15
MFJ-1717	Dual band rubber duckie 15" long	35
MFJ-1717P	Flexible duck with PL-259 base connection	40
MFJ-1719	144-440 MHz "Small Wonder" hand held antenna, 2", BNC	30
MFJ-1719S	144-440 MHz "Small Wonder" hand held antenna, 2", SMA	30
MFJ-1722	Mini magnet antenna for Dual band	35
MFJ-1724B	Dual band mobile antenna, 144 & 440 Mhz	35
MFJ-1728B	5/8 VHF mobile antenna 3.0 db with BNC adapter	50
MFJ-1729	Dual band mobile antenna, 2.6 & 6.3 db on 144 & 440 Mhz	55
MFJ-1730	2m Roll up antenna, 1/2 on 2 meters,, BNC	35
MFJ-1734	Glass mount Dual band antenna, 2.6 db gain	55
MFJ-1738	Glass mount 2 meter antenna, 2.6db gain	50
MFJ-1740	1/4 wave ground plane for 2 meters	35
MFJ-1750	5/8 wave ground plane for 2 meters	45
MFJ-1752	5/8 wave ground plane for 220 MHz	45
MFJ-1754	Dual band ground plane antenna	50
MFJ-1763	Portable 3 element 2 meter beam	75
MFJ-1764	Dual 5/8 wave 2 & 6 meter antenna	80
MFJ-1776	6 meter dipole antenna	55
MFJ-1779A	160 meter Single band dipole, 256' long	90
MFJ-1779B	80 or 40 meter single band dipole, 135' long	60
MFJ-1779C	20 to 6 meter single band dipole, one band only, 35' long	50
MFJ-1780	Box fan portable loop 14-30 MHz	340
MFJ-1786	Super loop HF antenna, 10-30 MHz, 36 in, control box	470
MFJ-1788	Super loop HF antenna, 7-21.5 Mhz, 36 in, control box	520
MFJ-1792	80 & 40 meter vertical antenna	200
MFJ-1793	Super 80/40/20 meter vertical antenna	220
MFJ-1796	Halfwave vertical, No radials	240
MFJ-1798	Halfwave vertical 80-2 meters, no radials required	315
MFJ-1910	33' telescopic Fiberglass antenna	100
MFJ-1952	58" extra long telescopic antenna	25
MFJ-1954	10' extra long telescopic antenna	35
MFJ-1956	12' extra long telescopic antenna	45

MFJ-4035MV	35 amp surge, 25 amp continuous 12vdc power supply	170
MFJ-4110	3 amp power supply for MFJ transceivers	75
MFJ-4125	5 amp, 12 volt switching power supply	135
MFJ-4225MV	25 amp, 12 volt switching power supply with meters	185
MFJ-4245MV	40 amp, 12 volt switching power supply with meters	240
MFJ-502???	Pre-wired TNC cable, Specify TNC & radio	30
MFJ-508???	Pre-wired TNC cable, Specify TNC & radio	30
MFJ-5383I	Pre-wired computer cables for ICOM, RS232 level converter	75
MFJ-5383K	Pre-wired computer cables for Kenwood	75
MFJ-5383Y	Pre-wired computer cables for Yeasu	75
MFJ-5383YB	Yaesu Transceiver interface unit	75
MFJ-5512	DC cable for 2 pin VHF, Kenwood, Icom, Yaesu, ADI, Alinco	20
MFJ-5535MDC	DC cable for 6 pin HF rigs, Kenwood, Icom & Yaesu	35
MFJ-7707	NMO to 3/8 24 thread mount adapter	15
MFJ-8100K	Shortwave regenerative receiver kit	95
MFJ-8400K	2 meter repeater monitor receiver kit	110
MFJ-8621	1200-9600 Packet only 2 meter FM data Transceiver	210
MFJ-8704	Micro Amateur TV Transmitter	150
MFJ-8708	4 channel, A/V ATV Transmitter	190
MFJ-90(XX)	CW transceiver, one band only(choose)	240
MFJ-91(XX)	CW station complete with, 90XX and tuner	430
MFJ-9406X	6 meter SSB adventure radio with microphone	300
MFJ-9420	SSB Portable 20m radio 12 watts P.E.P.	275
MFJ-9420X	Same as 9420 but with hand microphone	285

MIRAGE

6 Meter Amplifiers (50-54 MHz)

A-1015G 10 watts in - 150 watts out, FM-SSB-CW with GFET 490

2 Meter Amplifiers (144-148 MHz)

B-34 2 watts in - 35 watts out, FM 125

B-34G 2 watts in - 35 watts out, FM-SSB-CW with GFET 150

B-310G 5 watts in - 100 watts out, FM-SSB-CW with GFET 290

B-215G 2 watts in - 150 watts out, FM-SSB-CW with GFET 460

B-1018G 10 watts in - 160 watts out, FM-SSB-CW with GFET 510

B-2518G 25 watts in - 160 watts out, FM-SSB-CW with GFET 410

B-5018G 50 watts in - 160 watts out, FM-SSB-CW with GFET 420

B-1030G 10 watts in - 300 watts out, FM-SSB-CW with GFET 940

B-2530G 25 watts in - 300 watts out, FM-SSB-CW with GFET 930

B-5030G 50 watts in - 300 watts out, FM-SSB-CW with GFET 920

70 CM Amplifiers (440-450 MHz)

D-100ATVN 2 w in - 82 w out, FM-SSB-CW-ATV, 420-450 Mhz 560

D-1010N 10 w in - 100 w out, FM-SSB-CW-ATV, 430-450 Mhz 520

D-26N 2 w in - 60 w out, FM-SSB-CW-ATV, 430-450 380

D-3010N 30 w in - 100 w out, FM-SSB-CW-ATV, 430-450 490

Dual-Band Amplifiers (144-148 & 440-450 MHz)

BD-35 3 w in-45 w out 144 Mhz, 3 w in-35 w out 440 Mhz 230

KP-1-2m 2 meter preamp, in shack, indoor 195

KP-1-Band 10-6-1.25m or 70cm preamp, indoor, one band only(select) . 195

KP-2-2m 2 meter preamp, mast mount, outdoors 255

KP-2-Band 10-6-1.25m or 70cm preamp, outdoor, one band only(select) 255

RC-1 Remote control unit 60

MIRACLE ANTENNA

Antenna QRP antenna tuner for 80 to 10 meters, compact 195

AirWhip Air Band Whip Antenna with BNC 120

O&EM



Antennas

JOEY	Portable HF & VHF antenna, 20 watts	400
Mariner	Ham & ITU bands, similar to OB-8	530
OB-8	Original Outbacker, 75 to 10 meters, 7'	400
OB-8HP	Same as above except 500 watts rating	410
OBS-8	Outbacker 8 bands, 6 ft, splits into 2 sections	410
OB8-Tri	Same as above but splits into 3 2 ft sections	420
OB-M	Outbacker with Amateur and Marine bands	530
Outpost	Tripod for Outrunner antenna with coupling	245
Outreach	10-160 meters, 150 watts, 9 foot base antenna	540
Outrunner	Base station antenna 12ft tall, 80-10 meters	470
Perth	Outbacker 80-10 meters, 150 watts, 7 feet	420
Perthplus	Outbacker 80-6 meters plus 2 meters, 150 watts, 7 feet	420
Stplus	Outbacker 75-10 meters plus 6 & 2 meters, 4 ft, 150 watts	390
MICRO-MOUNT	Compact 3/8" mount for portable use	70
OBSB	Heavy duty spring w/ SO-230 for OUTBACKER	165

PALSTAR

Tuners

AT-1500DT	1500 watt Differential-T network tuner, 0-30 MHz	590
AT-1KP	1000 watt differential antenna tuner, peak hold, 0-30 MHz	560
AT-2K	2000 watt antenna tuner, 0-30 MHz	640
AT-4K	4000 watt PEP, 2500 watt antenna tuner, 0-30 MHz	1060
AT-5K	5000 watt PEP, 3500 watt antenna tuner, 0-30 MHz	1400
AT-AUTO	1500 watt automatic antenna tuner	1560
	Cable for AT-AUTO for Icom, Kenwood or Yaesu	50
BT-1500	Balance line 1500 watt Roller Inductor tuner, 0-30 MHz	830
DL-1500	1500 watt dry dummy load with fan	150
DL-2K	2000 watt dry dummy load, fan cooled	310
DL-5K	5000 watt dry dummy load, 0-30 MHz	480
FL-30	Low pass filter 32 Mhz cut -off point	140
PM-2000A	2000 watt meter 0-30 MHz	190
PM-2000AM	2000 watt meter 0-30 MHz, mobile version	190
ZM-30	Antenna Analyzer, 1.8 to 60 MHz	475

PRYME

Hand Held Antennas

AL-800	Dualband telescopic antenna	40
RD-8	Dualband rubber duckie with BNC	25
RD-78	Dualband rubber duck antenna, 14" long	30
RD-98	Dualband thin whip rubber duck antenna, 19" long	25
RD-98SMA	Dualband thin whip rubber duck ant., 19" long With SMA	25

Speaker Microphones

"00" Series fits Icom, Yaesu, ADI and Standard

"01" Series fits Kenwood

"02" Series fits Yaesu FT-50, VX-5R

SPM-100	Speaker microphone for Icom, Yaesu, ADI, Standard	35
SPM-101	Speaker microphone for Kenwood handhelds	35
SPM-102	Speaker microphone for Yaesu FT-50	35
SPM-400A	Earphone with boom microphone for Icom & Yaesu 2 pin	45
SPM-400AIL	Earphone with boom microphone for Icom L connector	45
SPM-401A	Earphone with boom microphone for Kenwood	45
SPM-402A	Earphone with boom microphone for VX-5R, FT-50, IC-Q7	45
SPM-500	Throat microphone for ADI, Icom & Yaesu	40
SPM-501	Throat microphone for Kenwood	40
SPM-502	Throat microphone for Yaesu FT-50	40
SPM-700	Palm microphone, clear cable for Icom, Yaesu, ADI	25
SPM-701	Palm microphone, clear cable for Kenwood	25
SPM-702	Palm microphone, clear cable for Yaesu	25
SPM-800B	Open face, In-helmet headset for Icom, ADI and older Yaesu's	70
SPM-800F	Full Face, In-helmet for Icom, ADI and older Yaesu's	70
SPM-801B	Open face, In-helmet headset for Kenwood	70
SPM-801F	Full face, In-helmet headset for Kenwood	70
SPM-802B	Open face, In-helmet headset for newer Yaesu	70
SPM-802F	Full face, In-helmet headset for newer Yaesu	70
SPM-900	Large speaker mic for ADI, Icom & Yaesu	35
SPM-902	Large speaker mic for Yaesu FT-50	35
SPM-1000	Surveillance earphone with audio accessory for Icom & ADI	65
SPM-1001	Surveillance earphone with audio accessory for Kenwood	65
SPM-1002	Surveillance earphone with audio accessory for newer Yaesu	65
SPM-1100	Large speaker mic for ADI, Icom & Yaesu	40
SPM-1101	Large speaker mic for Kenwood handhelds	40
SPM-1102	Large speaker mic for Yaesu FT-50	40

RIGblaster

Interface Units

DUO	Deluxe sound card with cable, two transceiver	370
NOMIC	All mode TNC, sound card, includes cables, 8-RJ mic jacks	75
PLUS	Deluxe All mode TNC for your sound card, with cables, 8pin	170
PNP	Plug & Play model, uses AUX or Data jack, not mic jack	135
	RPA/113D Icom 13 pin din AUX cable for PNP	15
	RPA/18D Icom 8 pin din AUX cable for PNP	15
	RPA/K13D Kenwood 13 pin din AUX cable for PNP	15
	RPA/Y5D Yaesu 5 pin din AUX cable for PNP	15
PRO	Deluxe sound card with cable	300
4T8/KIT	Conversion kit for Pro/Plus & M8C for 4 pin radios	30
FT-100Cable	FT-100 to RJ-45 for RigBlaster	25
FullCable	Cable set for RigBlaster, Audio and Interface cables	20
IA-Cable	Icom fixed audio level cable	20
IA-Cable/FSK	Icom fixed audio level cable, 13 or 8 pin version	30
ST-CBL	RJ-45 cable with bare ends, 3' long	10
CBA-2	Battery analyzer, computerized with software	Clearout 130
CBA-3	New battery analyzer, computerized with software	160
CDROM	CD rom software for soundcard	15
PWRGatePG40S	12V Backup power system up to 40 amps w/ 4 stage	160
PWRGAURD	Power guard under/over voltage to Radio, 40 amps	115
WattMeter	Watt meter reads amps and volts and watts	100

RIGrunner

DC Power Bar

4004USB	DC power bar, 4 outlets with 2 USB, 40 amps	110
4005	DC power bar, 5 outlets, 40 amps	95
4008	DC power bar, 8 outlets, 40 amps	140
4010S	DC power bar, 10 outlets, 40 amps	170
4012	DC power bar, 12 outlets, 40 amps	155
8012	DC power bar, 12 outlets, 80 amps	180
C15-PK12	12 pairs of 16-18 gauge connectors	20
C30-PK12	12 pairs of 12-14 gauge connectors	20
C45-PK12	12 pairs of 12-12 gauge connectors	25
PWR-Crimp	Crimp toll for RigRunner connectors	50
PSCBL6	6' power cable for RigRunner, 10 Gauge	20

RIGtalk

RT1	Radio control box for radios that need CIV or CAT	70
RT1/CAT	Radio control box for FT100/817/857/897radios	80
RT1/CAT6	Radio control box for FT736/747/767/990/1000 radios	80
RT1/CIV	Radio control box for Icom radios that use CIV	80
CIV/CBL	Icom, TEN TEC CI-V rig control cable for RT1	15
CATMINI	Yaesu mini 8 pin din plug TTL CAT rig control cable for RT1	20
CAT6D	Yaesu 6 pin din plug TTL CAT rig control cable for RT1	20



ANC-4	RF noise canceller for receivers and transceivers	260
DSP-599zx	Deluxe DSP noise filter, variable control	520
PK-232/DSP	Multimode w/ DSP packet, RTTY, Amtor, Pactor	Clearout 400
PK-232USB	Multimode data control w/ DSP packet, RTTY, Amtor, Pactor ..	670
AC-5	AC adapter, 13.8 VDC, 1.7 amps	40

UNADILLA

Antenna		
W2AU/W2VS	40 & 80 meter antenna, complete with KW-40	120
Baluns		
W2AU	1:1 Balun, 0-30 Mhz, 1500 watts	40
W2AU-1:1B	1:1 Balun, 0-30 Mhz for beam installation	40
W2AU-4:1	4:1 Balun, 0-30 Mhz, 1500 watts	40
W2DU/HF	1:1 Current Balun, 0-30 Mhz, 1500 watts	45
Insulator	Center insulator with strain relief	15
Endsulator	End insulators, sold as pair	8
KW-10	10 meter traps	Clearout 65
KW-40	40 meter traps	70
KW-80CW	80 meter traps for CW portion of band	75
KW-80F	80 meter traps for phone portion of band	75
Wire-75	Refer to Wire Section in Cable	
Wire-125	Refer to Wire Section in Cable	
Wire-150	Refer to Wire Section in Cable	



Antennas

AST-6BTB	5 band antenna kit, excellent for mobile or balconies	125
CX-144B	2 meter mobile antenna for 3/8" thread mounts, 3db	25
PHF-6B	6 meter mobile antenna, 250 watts	25
PHF-10B	10 meter mobile antenna, 250 watts	25
PHF-12B	12 meter mobile antenna, 250 watts	25
PHF-15B	14 meter mobile antenna, 250 watts	25
PHF-20B	20 meter mobile antenna, 250 watts	25
PHF-40B	40 meter mobile antenna, 250 watts	25
PHF-75B	75 meter mobile antenna, 250 watts	25
PHF-160B	160 meter mobile antenna, 250 watts	90
PHF-SB	Complete set of whips 10-75 meters	100
VAA002	144Mhz. 1/4 wave magnet mt kit (PL259 conn)	30
VAA002BNC	144Mhz. 1/4 wave mag mt kit (BNC for handhelds)	30

Mounts & Cables

102	Side body mount for mobiles for 3/8" thread antennas	8
103	Quick disconnect for CB antennas, 3/8" thread mt	10
106ADT	Heavy-duty 3/8" thread mirror mt. for large antennas	22
136	Aluminum 'Slip-Seater' quick release mirror mt for 3/8" thread ..	10
220	Universal radio mounting bracket, 0-10" adjustable width	6
301	Magnetic mount 3" wide for 3/8" thread antennas	20
401	Magnetic mount 4" wide for 3/8" thread antennas	20
401BSO	Magnetic mount 4" wide with SO239 mount	55
604	Heavy-duty chrome plated antenna spring, 3/8" thread	20
B100ADT	Aluminum mirror mount for 3/8" thread antennas	7
B105AD	Replacement antenna stud for above mirror mount	5
BSMB	Base station antenna mounting bracket kit	30
DAK	Aluminum mirror mt, mount 2 antennas to make a dipole	14
MM-3401N	Heavy duty magnetic mount, 3-401 magnets, 3/8" thread mt	70
MM-4401	Heavy duty magnetic mount, 4-401 magnets, 3/8" thread mt	80
PAMB	NMO magnetic mount kit with cable, heavy duty 4" wide	30
PAM-4B	NMO magnetic mount kit with cable, heavy duty 5" wide	30
PAQ144440	19" 144/440Mhz magnet mount ant. kit, 3/8" thread mt	20
PAS	3/4" NMO surface mt kit with cable	25
PAT2	3/4" NMO trunk mt kit with cable	20
SS100AD	Stainless steel mirror mt for 3/8" thread antennas	15
SS100MOT	Stainless steel NMO mirror mt kit with cable & PL259	30

Van Gorden Engineering

Antennas

G5RV-ECONO	Econo version of G5RV, 102' end-end, no coax or twin	45
G5RV-JR	Multi-band wire antenna in compact size	40
G5RV-M	Standard G5RV but from 160 to 10 meters, 204' in length	90
G5RV	Deluxe 102' G5RV with 50' of RG-8x coax	110
HI-Q 1:1	Balun 3-40MHz 1:1 ratio	25
HI-Q 4:1	Balun 3-40MHz 4:1 ratio	25
HI-Q Centre Insulator	Antenna centre insulator with so-239	15
CenterDog	Centre insulator dog bone	5
HI-Q End	End Insulator High quality end insulator in package of two	10
Dogbone	End insulator dog bone	2
450OHM	450 ohm insulated ladder line, solid wire	30
450OHM#14	450 ohm ladder line, #14 gauge, stranded wire	65
450OHM#16	450 ohm ladder line, #16 gauge, stranded wire	50

WIRE See "Cable & Wire Section"

VECTRONICS

DC-35	DC power bar up to 35amp handling	90
DL-300M	Dummy load 0-150 MHz, 300 watts	55
DL-300MN	Dummy load 0-150 MHz, 300 watts with N connector	60
DL-650M	Dummy load 0-520 Mhz, 1500 watts	90
DL-650MN	Dummy load 0-520 Mhz, 1500 watts, with N connector	95
DL-2500	Dummy load 0-30 Mhz, 2500 watts, fan cooled	230
HFT-1500	Digital peak reading antenna tuner, roller inductor 1.8-30 MHz ..	500
HPF-1	High pass filter, 50-550 MHz, 75 ohms	35
HPF-2	High pass filter 50-550 Mhz, 75 ohms	40
LP-30	Low pass filter, cut off 32 Mhz, 1500 watts	100
LP-2500	Low pass filter, cut off 32 Mhz, 2500 watts	150
PM-30	SWR and power meter, cross needle, 3000 watts, HF	100
PM-30VU	SWR and power meter, cross needle, 144-450 Mhz	110
VC-300D	Antenna tuner with digital bar graph	230
VC-300DLP	Antenna tuner with dummy load	190
VC-300M	Compact mobile tuner, 300 watts	140

VIBROPLEX

BR-2000D	Blue Racer 2000 Deluxe , chrome base	280
BR-2000S	Blue Racer 2000 Standard , basic base	230
BRIS	Brass Racer Iambic Square base , Black square paddle	170
BRIT	Brass Racer Iambic Triangle base , Black square paddle ..	170
CodeMite	Tiny hand key	80
CWJ	Code Warrior Junior	120
DKD	Double Key Deluxe , with chrome base	430
DKG	Double Key Gold , with gold base	500
DKS	Double Key Standard , with basic base	395
ID	Iambic-Deluxe , Chrome base with jewelled contacts	225
IG	Iambic-Gold , Gold base with jewelled contacts	350
IP	Iambic-Presentation , Gold plate base, jewelled contacts ...	330
IS	Iambic-Standard , Black base paddle	185
OD	Original-Deluxe , Chrome base with jewelled contacts	260
OG	Original-Gold , Gold base with jewelled contacts	380
OP	Original-Presentation , Gold plate base, jewelled contacts ..	335
OS	Original-Standard , Black base paddle	200
SKD	Straight Key-Deluxe , Chrome base with jewelled contacts ..	225
SKG	Straight Key-Gold , Gold base with jewelled contacts	350
SKS	Straight Key-Standard , Black base paddle	185
SRD	Square Racer-Deluxe ,	170
SRS	Square Racer-Standard ,	150
VD	Regular Vibroplex-Deluxe , Chrome base	225
VG	Regular Vibroplex-Gold , Gold base	350
VK	Venus Key	560
VS	Regular Vibroplex-Standard , Black base paddle	185

MISCELLANEOUS

Snap-on-choke	Package of three chokes	15
Phone-Filters	35

Updated Oct 19th, 2009

O&OE

Books & Software

STUDY MATERIALS & Maps

Book-0163	RAC Basic Amateur Radio Study Guide	40
Book-8276	On the Air with Ham Radio	29
Book-0356	Morse Code: The Essential Language , by ARRL	13
Book-8322	Your Introduction to Morse Code Tape 0-5 wpm	22
Book-2227	Code Tape from 5 to 10 wpm	19
Book-6397	Code Tape from 10 to 15 wpm	19
Book-5692	Code Tape from 15 to 22 wpm	19
Book-8314	Your Introduction to Morse Code on CD, 0-5 wpm	25
Book-6400	Increasing Your Code Speed, 10 to 15 wpm, on CD	22
Book-6923	Increasing Your Code Speed, 15 to 22 wpm, on CD	22
Book-5226	ARRL World map and atlas in book format	20
Book-7717	ARRL World Map	24

GUIDE BOOKS and SOFTWARE

Book-8765	2003 Radio Amateur Callbook Listing on CD	65
Book-8918	2003-2004 ARRL Repeater Directory	15
Book-8802	2002 ARRL periodicals on CD	30
Book-8632	2001 ARRL periodicals on CD	30
Book-8209	2000 ARRL periodicals on CD	30
Book-7881	1999 ARRL periodicals on CD	30
Book-7377	1998 ARRL periodicals on CD	30
Book-6729	1997 ARRL periodicals on CD	30
Book-6109	1996 ARRL periodicals on CD	30
Book-5579	1995 ARRL periodicals on CD	30
Book-8497	1995-1999 QST Views on CD	59
Book-5749	1990-1994 QST Views on CD	59
Book-5757	1985-1989 QST Views on CD	59
Book-5765	1980-1984 QST Views on CD	59
Book-5773	1975-1979 QST Views on CD	59
Book-5781	1970-1974 QST Views on CD	59
Book-6451	1965-1969 QST Views on CD	59

REFERENCE BOOKS

Book-9485	2006 ARRL Handbook , Soft cover	50
Book-9493	2006 ARRL Handbook , Hard cover	65
Book-7938	ARRL Operating Manual , 7th edition	39
Book-0155	RAC Operating Manual	24
Book-7050	All about VHF Amateur Radio , by William Orr	20
Book-4025	Beyond Line of Sight , History of VHF Propagation	20
Book-7701	Complete DX'er 2nd Edition , by Bob Locher	16
Book-2197	DATA BOOK , ARRL Electronics book	21
Book-6354	DX'ing on the Edge	45
Book-8977	Experimental Methos in RF Design , ARRL	75
Book-8268	Ham Radio FAQ	22
Book-7903	Hints & Kinks for the Radio Amateur , 15 edition by ARRL	19
Book-7093	Interference Handbook , by William Nelson	20
Book-Log	Log book	8
MFJ-33	Mobile Handbook , All you need to know for HF mobile	20
Book-7040	ON4UN Low-Band DXing	45
Book-5617	QRP Power	19
Book-4920	Radio Frequency Design with software , by ARRL	65
Book-6834	RFI Handbook by ARRL	32
Book-3177	Spread Spectrum Source book , by ARRL	32
Book-2701	Transmitter Hunting , Radio Direction Finding	49
Book-3126	UHF/Microwave Experimenter's Manual , by ARRL	32
Book-4491	UHF/Microwave Projects Manual , by ARRL	32
Book-3983	Understanding Basic Electronics	32
Book-607X	VHF "How to" Book , A guide for all amateurs	20
Book-3207	W1FB's Design Notebook , by ARRL	16
Book-4432	W1FB's Help for New Hams	15
Book-3657	W1FB's QRP Notebook , by ARRL	16
Book-5129	Your Mobile Companion , by ARRL	19
Book-3762	Your QRP Operating Companion , by ARRL	10
Book-3878	Your VHF Companion , by ARRL	12

ANTENNA BOOKS

MFJ-3303	73 Vertical, Beam and Triangle Antennas , by Ed Noll	20
Book-7107	All about Vertical Antennas , by William Orr	20
Book-2200	Antenna Impedance Matching , by ARRL	32
Book-8217	Antenna Zoning	79
Book-8047	ARRL Antenna Handbook 19th edition , with software	45
Book-9043	ARRL Antenna Handbook 20th edition , with software	59
Book-0194	ARRL Antenna Compendium volume 1	16
Book-2545	ARRL Antenna Compendium volume 2	23
Book-4017	ARRL Antenna Compendium volume 3	23
Book-5625	ARRL Antenna Compendium volume 5	32
Book-7431	ARRL Antenna Compendium volume 6	32
Book-8608	ARRL Antenna Compendium volume 7	35
Book-7075	Antenna Wire Classics , by ARRL	22
Book-7042	Beam Antenna Handbook , by William Orr	20
Book-7034	Cubical Quad Antennas , How to build, by William Orr	20
Book-9089	HF Antenna Collection , by Erwin David RSGB	35

Book-7709	More Antenna Wire Classics , by ARRL	20
Book-3819	Physical Design of Yagi Antennas , by Leeson ARRL	32
Book-8558	RSGB Antenna File	65
Book-9151	RSGB HF Antennas for All Locations , by Moxon	59
Book-2878	RSGB Practical Wire Antennas	30
Book-7077	Simple Low-Cost Wire Antennas for Radio Amateur	20
MFJ-3301	Troubleshooting Antenna and Feedlines , by Tyrrell	20
Book-5218	Vertical Antenna Classics , The best articles from ARRL	19
Book-9078	VHF/UHF Antenna Classics , by ARRL	25
Book-2618	W1FB's Antenna Notebook , by ARRL	15
Book-0410	Yagi Antenna Desgin , by Dr James L. Lawson	22
Book-8187	Yagi Antenna Classics , by ARRL	29

DIGITAL MODE BOOKS

Book-8535	AMSAT 19th Space Symposium	30
Book-8195	Digital Signal Processing Technology	70
Book-8233	HF Digital Handbook , 2nd Edition	28
Book-8489	Microwave Update 2001	30
Book-7369	Satellite Anthology	25
Book-4815	Your HF Digital Companion , by ARRL	15
Book-4483	Weather Satellite Handbook , 5th edition ARRL	32
Book-4483	Weather Satellite Handbook , 5th Edition	32

CABLES & WIRE

Coax Cable

RG-214	Coax 97% shield, similar to RG-213 but double shielded	150c
RG-213	Coax 95% braid 52 OHM	110c
RG-8U	Coax low loss with 14 gauge, 2000 watts	110c
RG-8X	Coax mini 8 foam	60c
Rotor	Rotor cable 8 strands 2-18 & 6-22 gauge	70c
Rotor-Heavy	Heavy duty rotor cable 8 strands 8-18 gauge	100c
Keyer	Keyer cable 3 conductor with shield	30c

Antenna Wire

50' Wire	Vangorden Wire-50, 14 gauge, 7 strands copper wire	13
75' Wire	Vangorden Wire-75, 14 gauge, 7 strands copper wire	18
100' Wire	Vangorden Wire-100, 14 gauge, 7 strands copper wire	25
125' Wire	Vangorden Wire-125, 14 gauge, 7 strands copper wire	30
150' Wire	Vangorden Wire-150, 14 gauge, 7 strands copper wire	35

Patch Cables

RG-8X coax with soldered PL-259's		
Table 3'	50 ohm patch cord 3' with PL-259 (Astatic A8X-3G)	10
Table 6'	50 ohm patch cord 6' with PL-259 (Astatic A8X-6G)	11
Table 9'	50 ohm patch cord 9' with PL-259 (Astatic A8X-9G)	13
Table 12'	50 ohm patch cord 12' with PL-259 (Astatic A8X-12G)	14
Table 18'	50 ohm patch cable 18' with PL-259 (Astatic A8X-18G)	18
SMA-UHF Cable	Patch cable, 1' with SMA male to UHF female (SO-239)	25

Coax-Seal	Sealant for outdoor connectors, small	6
Coax-Seal	Sealant for outdoor connectors, large	12
Cab-HF	6 pin DC cable for most HF radio's	35
Cab-VHF	2 pin DC cable for most VHF and UHF radio's	25

CONNECTORS AND ADAPTERS

CON-100B	PL-259B Nickel-Plated PL-259 (UHF male) connector, solder type3	3
CON-100S	PL-259S Silver plated, teflon UHF connector	4
CON-106	SO-239 Chassis mount SO-239 with 4 set screws	6
CON-107	SO-239 Chassis mount thread	6
CON-108	Reducer 58 PL-259 for RG-58	1
CON-109	Reducer 59 PL-259 for RG-8X	1
CON-110	PL-258 Double female barrel SO-239 connectors	6
CON-111	Dual PL-259 Double male PL-259 connectors	6
CON-114	PL-259-90 Right angle adapter PL-259 to SO239 connector	6
CON-300	N Connector For RG-213 silver plated	15
CON-310	N to SO239 Male N connector to UHF female	12
CON-311	PL-259 to N Female N connector to PL-259	12

RCA	Metal shield phono plug	2
1/4 Mono	Mono 2 conductor phono plug	2
1/4 Stereo	Stereo 3 conductor phono plug	2
Microphone Plugs		
Standard MIC plugs	8, 7, 6, 5, 4, or 2 pin plugs, each	6
Chassis mount MIC socket	available for 2, 3, 4, 5, 6, 7 & 8 pin, each	6
Extension MIC socket	for cable available for 2, 3, 4, 5, 6, 7 & 8, each	8
Din Plug	5, 6, 7 or 8 pin din plug	5
KENWOOD 13 pin Din plug	(ACC2 connector)	15
MiniDin Plug	6, 7 & 8 mini din plug	5

Radioworld

COMPANY POLICIES

PAYMENT: We accept Visa (Can\$ or US\$), Mastercard, Debit Card, cash, money orders, certified cheque. We accept personal cheques from approved customers. Personal cheques from new customer must clear at our bank before we ship order. On Credit Card orders, please provide card number, expiration date, issuing bank, billing and shipping address, home and work phone numbers and customer service number on back of credit card. (Shipping address must match billing address for us to ship). No International orders. We request this information for your protection.

MINIMUM ORDER: We have no minimum. Your order is important to us whether it is \$5 or \$50,000.

PRICES: Prices are subject to change without notice! Prices shown are accurate at printing. We are not responsible for typographical errors. Prices are updated monthly. If your price list is more than one month old, we recommend that you call to confirm current pricing

SHIPPING: Canadian shipping cost is 2.5% of the total sale or a minimum of \$10.00. Shipping costs on antennas are 4% of the amount of the item or a minimum of \$15.00. We ship most items within 24 hours of order placement (UPS Next Day or Federal Express orders are shipped same day order received). Orders received before 2pm local time are usually the shipped same day. Our normal method of shipping is via Canada Post Expedited Insured Mail. We may also use UPS ground Economy for equipment that exceeds the limitations of Canada Post or at a customer's request. You may request a shipment by other means such as UPS Next Day, Purolator (If you have an account) or Federal Express, but a surcharge will apply. Shipments may be billed to your account, please submit company name and account number with your order. All shipments are packaged with care and sent insured. UPS, Federal Express and Purolator will not ship to a Post Office box. Check with us re cost of out of Canada shipping.

WARRANTY SERVICE: Radioworld is an authorized SERVICE CENTRE for KENWOOD, YAESU and ICOM. When returning an item please include a note to clearly describe the problem, how you wish the item to be returned and most importantly a copy of your receipt. This will avoid any delays on your repair or warranty claim. Our service department also repairs out of warranty equipment from Kenwood, Yeasu, Icom and most others, but please call before sending a radio. If returning an item by shipping, please package and insure your radio properly. Radioworld is not responsible for merchandise damaged in transit.

BACK ORDERS: If item is not in stock we will notify you immediately. Radioworld is one of the largest, best stocked radio dealers in Canada. We carry an extensive inventory to minimize "back ordered" items. If an order is partially filled, back ordered items will be shipped at no charge. Due to manufacturer shortages, back orders occasionally occur. You may cancel your back ordered item (except special orders) any time for any reason and receive a full refund. Credit card orders are not billed to your card until we ship.

RETURNS or EXCHANGES: Radioworld does not offer refunds. In the event you are not satisfied with your purchase, we must be notified and an exchange will be offered within 10 days of receiving the item. Mail Items returned for exchange must be received in original and undamaged condition including all original packaging and warranty cards. Note: Do not send warranty cards in until after 10 days, until you are certain the item is functioning properly. Shipping is non refundable. Special order items, antennas, books and software are not refundable or exchangeable. If an item is found to be defective within the 10 day period a replacement will be sent out at no charge. Radioworld has the right to refuse any return or exchange if the item or packaging is in an unacceptable condition.

DAMAGED SHIPMENTS: If you receive a damaged shipment, note this with the driver and refuse the shipment. It will be returned to Radioworld and we will replace it for you at no additional cost.

TRADE-INS: Radioworld will accept trade-ins on most amateur radio transceivers, receivers and accessories. For trade-in quotes on your equipment, either call or write us giving the model, any optional accessories, condition and whether you still have the original boxes and manuals. Final price evaluation will be based on the condition and functionality of the equipment when received by Radioworld.

Visit Canada's Largest Selection of Radio Communication products and best stocked Showroom.

Also Canada's Largest communications book selection on display. Over 100 titles!

Thank you for your patronage and continued support through the new millennium.

Phone and Internet Support

Paul Schukow VE3RFA, Advanced Licence (1988). Over 17 years in Amateur, CB, Shortwave and Marine Radio wholesale sales. Specializes in VHF & UHF, CB, Antennas and accessories.


Pierre Mainville VA3PM, Advanced Licence (1972). Over 8 years in Amateur Radio retail sales. **Fully fluent in French and English.** RAC Field Services Manager. Delegated Examiner.

Jeff Heggie VE3WL, Advanced Licence (1987). Over 12 years in Amateur Radio retail sales. Specializes in HF, Dxing, Antennas. Placed 1st in Canada, 3rd worldwide 1995 CQ 160m SSB contest.

Leo Sweers VE3ZVD, Advanced Licence (1988). Over 17 years in Amateur, Shortwave and Marine Radio. Specializes in VHF & UHF. 12+ years in customer service.

Diane, Order processing and customer service. With 10+ years dealing with the public. Specializes in Cartography, Marine and GPS markets.

Jack Summers VA3XR, Sales Manager, Advanced Licence (1994). Amateur Radio retail sales 9 years. Specializes in HF, HF Mobile, Contesting, VHF & UHF weak signal.



Showroom Support

Tim Pacan VA3FU, Advanced Licence (1984). Specializes in DX HF, Antenna Projects and VHF - UHF FM and All Mode.

Steve Parsons VE3SMP, Advanced Licence (1990). Customer Service Management over 23 years. Specializes in HF, DX and digital modes, contesting. Also into Avionics (private pilot).

Peter Hicklin VA3PSH, Basic Licence (1995). Specializes in VHF - UHF, mobile, motorcycle operation. Electronic technician, MCSE, EMS Volunteer

Dave Harding VE3NUE, Advanced Licence (1980). Specializes in HF communications. Built own kits, DSP units, power supplies. Electrical Technician by trade.

Jan Larendowicz VE3GIZ, P Eng. Advanced Licence (1968). Over 40 years in Amateur Radio, Specializes in HF, VHF & UHF, CB, Antennas and accessories.

Tom Domonkos VE3LT, Advanced Licence (1989). Specializes in APRS, GPS, HF, VHF & UHF, Marine and Aviation Electronics. "RAC Amateur of the Year" in 2002.

Angelo Meffe VE3AMR, President, Advanced Licence (1986). Over 17 years in Amateur Radio retail sales. Specializes in VHF & UHF, Licensed Electronic Technician (1983).

Toll Free Order Line...1-866-666-8600



Widest selection of VHF/UHF/Multi-band Mobile Transceivers!

Multi-Band FM Transceiver

"Enjoy the Versatility of a Quad Band Mobile"

FT-8900R **\$500**

10m, 6m, 2m and 70cm
Quad Band

***Receive a
FREE YSK-8900
Separation Kit**



The FT-8900R is a ruggedly-built, high quality Quad Band FM transceiver providing 50 watts of power output on the 29/50/144 MHz Amateur bands, and 35 watts on the 430 MHz band. It includes leading-edge features like cross-band repeat, dual receive, VHF-UHF Full Duplex capability, and over 800 memory channels.

- Tx coverage: 28-29.7, 50-54, 144-148, 430-450 MHz - 50 tone CTCSS encode & decode
- Rx coverage: 28-29.7, 50-54, 108-180, 320-480MHz 700-985 MHz (Cell blocked)
- Automatic power off - Selectable power output - 16 memory, 16 tone DTMF autodialer
- 1200/9600 packet ready - Independent 2 channel dual receive and full duplex operation
- Over 800 memories - Built-in duplexer - Scanning - 104 tone DCS encode and decode
- Programmable mic keys - Remote head mounting with optional YSK-8900

Dual-Band Mobile

"Easy Operation with the ultimate in Dual Band"

FT-8800R **\$460**

2m and 70cm
Dual Band

***Receive a
FREE YSK-8900
Separation Kit**



With easy operation, outstanding receiver performance, and crossband repeat capability the FT-8800R is the new standard of comparison! For emergency work, or to extend the range of a hand-held unit, the FT-8800R includes cross-band repeat capability. With the FT-8800R and its optional YSK-8900 Separation Kit, mounting your radio is a breeze.

- Tx coverage: 144-148 MHz, 430-450 MHz - 50 tone CTCSS encode and decode
- Rx coverage: 108-520 MHz and 700-999 MHz (Cell blocked) - 1200/9600 packet ready
- Selectable power output: 50/20/10/5 watts 2m, 35/20/10/5 watts on 70cm
- Automatic power off - Independent 2 channel dual receive and full duplex operation
- Built-in duplexer - Cross band repeat - Large LCD display - Hyper memory capability
- Versatile scanning DCS encode and decode - RF squelch - Automatic repeater shift

Economical Dual-Band

\$330*



FT-7900R
2m and 70cm
Dual Band

***Receive a FREE
YSK-7800 Separation Kit**

The FT-7900R is ideal for the active Ham who has a need for simplex, repeater, or FM satellite operation on both bands, but without the complication of cross-band repeat capability, which is available on the FT-8800R and FT-8900 models.

\$360



FTM-10R
Waterproof* 2m and 70cm
Dual Band Transceiver

Newly Designed Mobile Transceiver with Waterproof / Dustproof Front Operation Panel to Support All-Weather Outdoor Activity.

The FTM-10R has a completely independent AM/FM broadcast radio receiver, in addition to the amateur band receiver. Enjoy your FTM-10/E* outdoor with your motorcycle, SUV or RV anywhere! The commercial grade front panel meets the IPX7 standard. (Waterproof at 3 feet (1 m) for 30 minutes, and protection against dust.) All connectors are waterproof. The mic and PTT button are built into the front panel. Detach the front panel with onetouch release when transmitting! The detachable front panel may be separated from the main chassis, and attached to a flat metal surface with the magnetic mounting bracket.

2 Meter Transceivers

"No Cooling Fan! Cool Quiet 65 Watt Operation"

FT-2800M
Rugged
2m Mobile
Transceiver

\$190



High power output, a huge, easy-to-read display, and optional one-touch WIREST™ Internet Linking Access capability are yours with the rugged new FT-2800M! Four selectable power output levels are provided: 65/25/10/5 Watts. The power selection may be stored into memory, allowing you to conserve power while using strong local repeaters.

- TX : 144 MHz to 148 MHz - Smart search - Receive coverage: 134 MHz to 174 MHz
- Power output is 5, 10, 25 or 65 watts selectable - Versatile scanning capability
- CTCSS and DCS encode and decode - Mil-Spec 810-C design

"Most Economical 2 meter radio available"

FT-1802M
Compact
2m Mobile
Transceiver

\$180



Frequency Range: Receive: 136 to 174 MHz Transmit: 144 to 148 MHz
Transmit Output Power: RF Output Power (approx.) 50 W / 25W / 10W / 5W
Direct Frequency entry from mic - Four user programmable soft keys -
Illuminated front panel and mic keys for night time use - 221 Memory Channels with Alpha numeric label - Eight memory banks for organizing memory channels - WX Channels with "Severe Weather Alert" - Adjustable Mic Gain and wide/narrow deviation & RX Bandwidth - Built in CTCSS and DCS Encode and Decode - Enhanced paging and code squelch system

Prices are subject to change without notice. Sale prices are for cash or cheque, please add 2% for credit card orders.

Bonus 10% Off any Yaesu accessory with the purchase of any Yaesu transceiver